Index for Volume 80

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses. Pages indicating errata are in italic type.

Abad, J. A., 1017
Abad, R. G., 1011
Abad, Z. G., 979
Abawi, G. S., 513, 981, 1041
Abbas, H. K., 1002, 1004, 1052
Abbott, J. A., 1044
Abdelshife, M., 1014
Abeles, F. B., 732
Abernethy, T., 1008
Abies spp., *Phytophthora* spp. on, susceptibility, 887
Abo-Foul, S., 1011
Aboul-Ata, A. E., 303
Abrahamson, L. P., 1014
Abstracts
—annual meeting, *220*, 958
—Caribbean division, 513
—Northeastern division, 117
—Pacific division, 886
—Potomac division, 670
—Southern division, 433
Abutilon mosaic virus, cytopathology and transmission, 548, (549, 551)
Acremonium spp., fungal endophyte complex, isozyme variation, 1133
—*A. coenophialum*: detection with Western blot, 435; on fescue, gene screening, 1056; on fescue seed, ergoline alkaloid from, 1052
Adams, G., 287, 963, 974, 976
Adams, P. B. , 1120
Adaskaveg, J. E., 749, 886, 892
Adee, S. R., 1177
Adhikari, T. B., 1001
Adkins, S. T., 1016
Agaricus bisporus
—bacilliform virus on, sequence homology, La France disease, 1037
—fungi associated with, in retail stores, 118
Aglaonema, Fusarium crown rot and blight, in Hawaii, 886
Agnew, M., 1031
Agrobacterium spp.: on grape, electron microscopy, 438; on grape callus, Ti plasmid influence on attachment, 964
—*A. rhizogenes*, on soybean, induction factors, 503, (507)
—*A. tumefaciens*: biovar 3, cell wall degrading enzymes, molecular cloning, 982; biovar 3, polygalacturonase production, 1037; conjugal transfer origin, 1058; on grape, polarity in tumor formation and necrosis, 964; opine catabolic gene and biosynthetic gene, relatedness, 1037; pathogenic isolates, detection using polymerase chain reaction, 1071; plasmid transfer with *A. radiobacter*, 1001; strain C58, poplar susceptible to, 1099, (1100)
Agrocinopine, catabolism and conjugal transfer, regulation, 1053
Aguiero, V. M., 659
Ahlquist, P. G., 983, 1019
Ahlstrand, G. G., 1046
Ahmad, I., 1040
Ahmed, A., 886
Air pollution (see also Ozone)
—hydrogen fluoride, common blight effect in bean, 211
—sulfur dioxide, *Botrytis cinerea* spore germination affected by, 217
Aist, J. R., 1054
Akarapisan, A., 892
Akem, C. N., 1000, 1013
Akimitsu, K., 961
Albregts, E. E., 974
Alexander, J. D., 433
Alexander, S. A., 1065
Alfalfa (see also *Medicago* spp.)
—*Aphanomyces euteiches* on, *Phytophthora* comparison, 331
—cell suspension culture, DNA clones for phenylalanine ammonia lyase, 959
—Cercospora leafspot, early epidemic stage, 433
—crown gall, natural, 890
—damping-off and root rot, nematode and *Phytophthora* relation, 228
—Leptosphaerulina leaf spots, epidemics, 1278
—pathogen patterns on leaflets, 997
—*Pseudomonas* sp. on leaves of, survival, 965
—*Pythium* on roots of, moisture relation, 1317, (1318)
—root-lesion nematode on, resistance mechanism, 1024
—stem nematode of, fungi associated, 1028
—*Verticillium albo-atrum* on: host-pathogen interaction, 122; photosynthesis analysis, 1300
—Verticillium wilt, growth and physiological response, 1247
Alfalfa mosaic virus, multiplication and RNA stability, day length effect, 1034
Alfieri, S. A., Jr., 676
Ali, I., 1018
All, J. N., 451
Allaire, B., 1056
Allard, R. W., 1330
Alldredge, J. R., 995
Allelopathy, pecan phenolics, disease relation, 147
Allen, C., 982, 1054
Allen, S. W., 1053
Allison, D. A., 963
Allison, R. F., 983
Almond
—Ceratocystis limb canker, 1071
—shot-hole disease of, factors affecting, 749
Al-Musa, A., 850
Alternaria spp., sporulation, fluorescence microscopy to identify, 991
—*A. alternata*: pathotypes, molecular basis, 1003; spore germination, host-selective toxin, liquid chromatography, 1088; tangerine pathotype of, toxin structures, 1067
—*A. cassiae*, *A. crassa* comparison, inoculum threshold and invert emulsion, 925
—*A. limicola*, on citrus, leaf spot in Mexico, 1071
—*A. mali*, on apple, infection criteria, 973
—*A. porri*, on onion, conidial formation and infection factors, 1203, (1206), 1387
—*A. solani*: dsRNA, 1034; on potato, control model, 772; on potato, disease progress model and growth model, 416; on potato, early dying and potato yield, 425; on potato, resistance characterization, receptivity, 361; on potato, yield loss model, 466; on tomato, resistance, 1365
—*A. tagetes*, on carnation and marigold, control, 513
Alvarado, G., 1000
Alvarez, A. M., 886, 893, 964, 1058
Alvarez Galindo, E., 517
Amador, J. M., 437
Amaravadi, L. S., 1027
American Phytopathological Society
—abstracts (see Abstracts)
—annual report, 7
—award list, 55
—Ciba-Geigy Award, 53
—council and committees, 40
—Extension Award, 51
—Fellows, 43
—Lee M. Hutchins Award, 54
—presidential address, D. E. Mathre, 31
—Ruth Allen Award, 52
—Teaching Award, 51
Ammar, E. D., 303, 1022, 1034
Ammon, V. D., 1047, 1064, 1065
Ampelomyces quisqualis, on cucumber and zuchini, hyperparasite, mildew control, 1011
Amsellem, Z. , 925
Anderson, C., 892
Anderson, E. J., 998
Anderson, J. B., 994
Anderson, M. J., 357
Anderson, N. A., 869
Anderson, R. L., 1065
Anderson, W. F., 1451
Andrews, J. H., 530, 536
Anigozanthos spp., black leaf of, in hybrids, 892
Anisogramma anomala
—ascospore discharge of, in field, 1031
—on *Corylus avellana*, infection period, 1043
—on hazelnut, detection in seedlings, 1014
Anthurium, bacterial blight
—indexing system for control, 1058
—monoclonal antibodies to study, 886
Anzola, J. V., 1035
Aphanomyces euteiches, on alfalfa, *Phytophthora megasperma* comparison, 331
Appel, D. N., 976, 1011
Apple
—*Botryosphaeria obtusa* on, spore germination and wetness period, 1218
—dapple apple viroid, scar skin homology, detection, 263
—fire blight: biocontrol with bacteria, bee relation, 1017; photosynthate effect on susceptibility, 673
—fungicide sprays for, timing and infection criteria, 1212
—*Phytophthora* infection, seasonal variation, 887
—Phytophthora root and crown rots, biocontrol, 880
—postharvest decay, iprodione for control, 892
—postharvest diseases, biocontrol with *Candida*, 456
—proliferation, detection by DNA hybridization, 233
—rootstock tumors of, plasmid probes to identify isolates, 1001
—scab: *Athelia bombacina* as antagonist, 530; pathogenesis and host reaction, 1009; yeast antagonist to scab organism, in litter, 536, (541)
—sooty blotch and flyspeck: presymptom eradication, 123; spray programs, 123
—storage diseases of, calcium-fungicide combinations, 974
—*Venturia* and *Mycosphaerella* on leaves of, differentiation, 1042
—*Venturia* conidia in buds, 117

Apple mosaic virus, on rose, 979
Arabidopsis thaliana, hypersensitive response in, phenylpropanoid metabolism induction, 1022
Aragaki, M., 886
Arauz, L. F., 1212, 1218
Araya, C. M., 513, 517
Arevalo-Guerra, M. A., 1012
Armillaria mellea, survey in New York, 117
Artichoke, new pathogens, in California, 887
Arul, J., 1020
Asai, W. K., 893
Ascochyta rabiei, on chickpea
—host range, 889
—virulence forms, 1069
Ash, yellows of
—diagnosis using DNA probes, 990
—oxytetracycline effect, 118
Asparagus
—Cercospora blight, chemical and cultural control, yield relation, 1103
—*Fusarium* infection, NaCl effect, 1025
—phosphorus effect in peat-based mycorrhizae, 1008
—rock salt effect on, 119
—rust of, development on cultivars, 321
Aspen, gypsy moth, interaction, 1064
Aspergillus spp.: aflatoxin production, electrophoretic karyotypes, 979; on peanut, isozyme patterns, 960; on peanut, polypeptide mapping, 1432
—*A. flavus*: aflatoxin biosynthesis and phenotypes, 1002; atoxigenic strains of, mechanisms, 994; on corn, resistance in Antigua population, 1070; on corn debris and soil, survival in Iowa, 1020; on corn ears, pathogenesis and aflatoxin, 1283; on corn ears, wound infection, microscopy, 1288, (1289,1291,1293); pectinase production, on cotton bolls, 1067
—*A. nidulans*: DNA fragment from, resistance gene, 1056; mutants resistant to fungicide, 1053; sporulation genes, targeting, 993
—*A. parasiticus*, aflatoxin production by, precursors, 1051
Assabqui, R., 117
Assemi, M., 217
Aster, yellows, detection using monoclonal antibodies, 958
Athelia bombacina
—antagonist to scab in apple leaf litter, 536
—on apple leaf litter, recovery, 530
Atkinson, M. M., 982
Atreya, C. D., 969
Auld, D. L., 1039
Aung, T., 889
Avdiushko, S., 1023
Axelrood, P. E., 1065
Ayers, J. E., 120
Aylor, D. E., 1469
Ayres, P. G., 1055
Azad, H. R., 887
Azalea, flower blight, coelomycete cause, 978
Azzam, O. I., 969, 1022

Bacillus spp.: on celery, rhizosphere microflora interaction, 206; on cotton, endophyte, 808
—*B. megaterium*, biolistic transformation, 1039
—*B. thuringiensis*, toxin production, genes encoding, 1038
Backman, P. A., 436, 1016
Bacteria
—ice nucleation-active, dispersal, role of rain, 934
—on leaf surfaces, immunogold labeling with electron microscopy, 1048
—nucleic acid probes for identification, genus-specific sequences, 618
—transgenic plant utilization and mannityl opines, 984
Bagley, S. T., 1032, 1059
Bai, D. G., 1015
Bailey, J. E., 976
Baird, R. E., 1010, 1026
Baird, R. J., 889
Baker, C. A., 1033
Baker, C. J., 1054
Baker, L. S., 934
Baker, N. K., 1020, 1046
Baker, R., 298
Balass, M., 968
Baligh, M., 1048
Banana bunchy top virus, elimination from tissue, 1072
Bandyopadhyay, R., 812
Banik, M. T., 272
Baraoidan, M. R., 982
Barash, I., 1374
Barbara, D. J., 913
Bar-Joseph, M., 336, 968
Barkdoll, A. W., 1015
Barker, K. R., 988
Barker, R. E., 1043
Barksdale, T. H., 1365
Barley
—leaf wetness, creation of, ultrasonic humidifiers for, 1059
—mildew of, cold acclimation and respiration, 1055
—papilla formation in leaves of, cellular resistance, 1054
—powdery mildew of, monensin inhibition of haustoria, calcium effect, 1067
—*Rhizoctonia* spp., root rot, 784
—rust sporelings, germ tube length effect, 57
—scald, pathotypes, 1330
Barley yellow dwarf virus
—acquisition by aphids, 986
—barley cultivar reaction, 123
—cDNA clones from, luteovirus relations, 913
—ELISA microtiter plate for study, 1048
—genome characterizations, 1036
—genomic maps and coat protein sequence, 220
—heterologous encapsidation of, 1036
—monoclonal antibody application, detection, 377
—NY-RPV isolate, genome, 1036
—in oat crowns, carbohydrates in, 121
—on oats, leaf concentration, 119
—RMV-like isolates of, 1022
—RNA, frameshift in translation, 1032
—RPV isolate of, coat protein gene for potato transformation, 1035
—survey: in Illinois, 1061; in Latin America, 1060
—translocation in oat lines, 1061
—on wheat, incidence in Arkansas, 1061
—yield and malt quality affected by, 1021
Barlow, E., 1071
Barnard, J., 973
Barnes, D. K., 1024
Barnett, O. W., 988, 1034, 1061
Barras, F., 983
Barrett, V., 980
Barthe, G. A., 1033
Bartolome, H. T., 1031
Bartz, J. A., 994
Bashan, B., 968
Basigalup, D. H., 1024
Bassett, E. N., 784
Batson, W. E., Jr., 1047
Baudoin, A. B. A. M., 1011
Bauer, D. W., 1037
Bauske, E. M., 1048
Baxter, L. W., Jr., 433
Bayles, C. J., 1054
Bayman, P., 994
Beachy, R. N., 1017
Bean, angular leaf spot, microclimate and cropping systems, 997
Bean dwarf mosaic virus, isolation and characterization, 96, (97, 99, 100)
Bean golden mosaic geminivirus, mechanically transmissible, infection sequence, 983
Bean pod mottle virus
—on bean, biochemical alteration, 1032
—electrophoretic form conversion by beetles, 900
—infectivity decline, encapsidated RNA, 1182
Bean yellow mosaic virus
—on arrowleaf clover, inheritance of wilt reaction, 438
—nonaphid-transmissible isolate, pea mosaic virus mixture, 268
Beaulieu, C., 981
Beaupré, C. M-S., 1004
Beaver, J. S., 513
Beaver, R. W., 318, 1026
Beck, R. J., 670
Becker, C. M., 117, 892, 973, 1042
Becker, D. M., 1059
Becker, J. O., 206
Becker, M. M., 336
Beck von Bodman, S., 1053
Beczner, L., 1034
Bedker, P. J., 976, 989
Beech, bark disease of, genetic mosaics, 119
Beer, S. V., 985, 1038, 1039
Beet pseudo-yellows virus, purification and serology, 866, (867, 868)
Beet western yellows virus, translation analysis, capsid protein, 987
Bélanger, R. R., 117, 118
Bell, D. K., 676
Belmar, S. B., 1004
Bemisia tabaci
—Abutilon mosaic virus vector, cytopathology and transmission, 548, (549, 551)
—pepper geminivirus vector, genomic properties, 704
—on squash, nucleic acid and vector association, 850
—squash silverleaf disorder vector, relation, (895, 896)
Bender, C. L., 982, 1037, 1038
Benedict, A. A., 886, 893, 964, 1058
Benhamou, N., 163, 1406
Bennett, A. R., 1050
Bennett, E. L., 1023
Bennetzen, J. L., 1007
Benny, U., 980
Benson, D. M., 1025, 1047
Bentgrass
—dollar spot of, top-dressings for, 122
—Typhula blight, biocontrol, 70
Ben-Ze'ev, I. S., 977
Bergamin, A., 996
Bergdahl, D. R., 118
Berger, P. H., 769, 987
Berger, R. D., 433, 996
Bergeron, S. N., 466
Berggren, G. T., 386, 402, 497, 571, 966, 968, 1014, 1015
Bergman, J. D., 121
Bergstrom, G. C., 84, 120, 122, 123, 1005, 1069, 1166
Bermudagrass, decline, fungi associated, 978
Bermúdez, W., 515
Berner, D. K., 1015
Bernier, C. C., 961
Berry, J. A., 1060
Bertrand, F., 1063

Bertrand, P. F., 434
Beute, M. K., 1022, 1395, 1451
Bhairi, S., 979
Bharathan, N., 631
Bhat, R. G., 968
Bhatnagar, D., 994, 1051
Biggs, A. R., 861
Biles, C. L., 436, 732, 1050
Bin, L., 724, 1051
Biological control
—agents, genetic containment systems, 991
—*Alternaria* spp. as mycoherbicides, factors, 925
—*Amaranthus albus* with *Aposphaeria amaranthi*, bioherbicide, 1011
—*Athelia bombacina* for *Venturia inaequalis*: on apple, 530; pseudothecia inhibited by, 536, (541)
—*Bacillus megaterium* for soybean root rot, 1051
—*Candida* for apple postharvest diseases, 456
—chytrid for downy mildew control on sorghum, 1048
—corn, sorghum, and wheat extract effect on fungi, 1055
—cotton seedling damping-off with *Gliocladium*, seed treatment, 1016
—*Cryptococcus*: effect on *Botrytis* in stored apple, calcium effect, 1050; for gray mold of apple, 526; for Mucor rot of pear, 1051
—Fusarium wilt in aster, bacteria for, 122
—*Gliocladium virens*: for *Pythium ultimum*, 461; for *Sclerotium rolfsii*, 627
—growth-promoting rhizobacteria, on white bean, 992
—oak wilt with endophytic bacteria, environmental fitness. 1011
—pelletized fungi, hyphal growth and sporulation effect, 1050
—*Phytophthora* spp., bacterial agent, 1011
—*Pseudomonas* for Pythium damping-off in cotton, siderophore, 1048
—*Pseudomonas* and *Trichoderma* in steamed and raw soil, 1051
—*Pythium* on pea, *Pseudomonas* for, 1307
—Pythium root rot suppression with composted bark media, 977
—*Pythium* suppression by carbon sources in container media, 794
—rhizobacteria for Fusarium wilt of celery, 206
—soilborne pathogens, basidiomycete agents, 1010
—*Tilletiopsis pallescens* to *Erysiphe graminis* on barley, 325
—*Trichoderma* to *Fusarium* on tomato, chitin breakdown, 1406
—*Trichoderma hamatum* for Rhizoctonia damping-off suppression, in hardwood bark compost, 73
—*Typhula phacorrhiza* for Typhula blight on bentgrass, 70
—*Verticillium* for Rhizoctonia root rot of wheat, 1051
—weed control with bacterial pathogens, surfactant use, 1016
—yeast for fruit rotting fungi, 1050
Bipolaris maydis, leaf leachate protein effect on, 1023
Bird, D. McK., 1004
Bisesi, M. S., 1027
Bishop, A. L., 890
Bissonnette, S. M., 1041
Bjarko, M. E., 1006, 1042
Black, L. L., 437
Black, M. C., 438
Black walnut, stem canker, in central USA, 977
Blancard, D., 1063
Blanchette, R. A., 886
Blish, C. A., 987
Blodgett, J. T., 117
Bloomberg, W. J., 553
Blueberry
—disease incidence, mowing and burning effect, 120
—*Phomopsis* twig blight, histopathology, 736, (737-739)
—sheep pen hill disease, carlavirus association, 998
Bluegrass (see also Turfgrass)
—summer patch: drought stress effect, 655; fungicides for, 122
Blumeriella jaapii, on black cherry, factors in Pennsylvania, 991
Bockus, W. W., 1024
Boehm, E. W. A., 963
Boehm, M. J., 970
Boland, R. M., 1147
Bondari, K., 439, 1173
Bonde, M. R., 670, 974, 1047
Bonman, J. M., 981, 999
Bonnen, A. M., 960
Bonnet, F., 233
Bonsall, R. F., 1038
Boothroyd, C. W., 316
Borbon, J. C., 1047
Borromeo, E. S., 981
Boscia, D., 117, 920, 1022
Bostock, R. M., 972, 1010, 1013, 1023
Bothast, R. J., 991
Botryosphaeria obtusa, on apple
—mycotoxins, 968
—wetness period and spore germination, 1218
Botrytis spp.
—*B. aclada*, on onion, biocontrol, 1049
—*B. cinerea*: on apple, biocontrol with *Candida*, 456; on apple, biocontrol with *Cryptococcus*, 526; on cucumber, tomato, and roses, calcium effect, 1055; dicarboximide resistance, alternative regime, 1041; dicarboximide resistance, spray regimes and disease control, 124; fungicide resistance to, parasitic fitness, 978; on prickly pear, cladode rot, 1044; on rose, biocontrol, 887; spore germination, sulfur dioxide effect, 217
Boucher, A., 246, 998
Boucher, C. A., 961
Bouchibi, N., 1323
Bouhida, M., 981
Boulet, M., 1020
Bové, J. M., 233
Bowen, C., 1015
Bowen, K. L., 433
Bowers, J. H., 996, 1439, 1447
Bowman, T., 206
Bozarth, R. F., 1027, 1037
Bradfute, O. E., 715
Bradley, R. S., 516
Bradyrhizobium, on seed, survival, 516
Brakke, M. K., 1401
Brammal, R. A., 974
Branch, W. D., 999
Brandenberger, L. P., 1026
Brassica spp., Sclerotinia stem rot, resistance, 1039
Braun, C., 1073
Braun, E. J., 1030
Brenneman, T. B., 102, 999
Brill, L. M., 962
Bristow, P. R., 886
Britton, K. O., 977
Brlansky, R. H., 671, 1001, 1048
Broccoli, growth affected by *Trichoderma* and *Laetisaria*, 434
Broglie, K., 1003
Broglie, R., 1003
Broglio, E. P., 969
Brome mosaic virus
—coat genes of, exchange, 983
—protein, deletion analysis, RNA replication and spread, 1019
Bronson, C. R., 819, 1056, 1062
Brooker, N. L., 993, 1057
Brooks, S., 963
Broome, J. C., 887, 987
Broos, T., 1018
Brown, D. A., 433, 978, 1042, 1068, 1072
Brown, G., 992
Brown, G. E., 1002
Brown, J. K., 887, 888, 1063
Brown, M. P., 981
Brown, R. L., 1020, 1051, 1067
Brown, W. M., Jr., 975, 1028, 1072
Browne, G. T., 887, 891
Bruce, M. A., 1000
Bruck, R. I., 977
Bruckart, W. L., 1011, 1049
Bruening, G., 969
Bruhn, J. N., 1032, 1059
Buchenau, G. W., 967, 974, 1004, 1046
Buchner, R. P., 890
Bugbee, W. M., 1054
Buiel, A. A. M., 598
Burdon, J. J., 728
Burdsall, H. H., Jr., 438
Burelle, N. K., 962
Burgerjon, A., 1063
Burgess, L. W., 877
Burket, J., 962, 1048
Burnett, P. A., 1060
Burney, K., 1040
Burpee, L. L., 70, 121
Burr, T. J., 117, 892, 973, 1037, 1042
Burrows, P. M., 988
Burtless, T. L., 1014
Bushnell, W. R., 81, 963
Bushuk, W. , 1129
Bushway, R., 977
Bustamante, E., 515
Butler, V., 1072
Buzayan, J. M., 969
Byther, R. S., 887

Cabunagan, R. C., 659
Cacao
—*Phytophthora* and *Moniliophthora* on, fungicides for, 517
—witches' broom: inoculation method, 514; resistance in Ecuador, 514
Cadena, G., 988, 1000
Caenorhabditis elegans, transposable element Tc1, expression, 1007
Caldwell, R. W., 1283, 1287
Calonectria crotalariae
—on ginkgo, 433
—growth and development, herbicide effect on, 1015
Cambra, M., 1034
Cameron, D. F., 1147
Campbell, C. L., 997, 1278, 1341
Campbell, S. E., 1050
Campos, L. F., 513
Canada thistle, rust of, induced systemic infection, 872, (873, 874)
Candida sp., biocontrol agent for apple diseases, postharvest, 456
Canfield, M. L., 1001
Canteros, B. I., 719
Cantone, F. A., 1003, 1221, 1225
Canullo, G. H., 434, 1024
Cao, J., 999
Cappaert, M. R., 350, 971
Capparis spinosa, pests of, records in California, 1026
Capsicum annuum (see also Pepper)
—geminivirus in, biological and genomic

properties, 704
—genetic multiple virus resistance, 981
—multiple virus resistance, 439
—nematode and nutsedge effects, management, 1047
—Phytophthora blight: isolate variation, 1253; path coefficient analysis, 1439; soil-water matric potential, 1447
—tobacco etch virus on, epidemic rate and disease resistance, 451
Cárdenas-Alonso, M., 513
Carisse, O., 1233
Carling, D. E., 930, 1008, 1362
Carlton, W. M., 1030
Carmer, S. G., 1048
Carner, G. R., 1038
Caron, M., 1008
Carroll, R. B., 1021
Carroll, T. W., 1022
Carrot
—Cercospora blight, infection model, 1233
—postharvest disease, control strategy, 1027
—virescence, beet leafhopper relation, 1072
Carson, M. L., 1040, 1046
Carson, S. D., 1007
Carter, G. E., Jr., 1023, 1142
Carvajal T., E., 517
Cassia obtusifolia, mycoherbicides for, inoculum threshold and invert emulsion, 925
Cassidy, B., 1037
Cassman, K. C., 987
Castaño, M., 96
Castellanos, G., 515
Castello, J. D., 120, 990
Castillo, J., 1000
Castle, A. J., 966
Catharanthus roseus
—ash yellows of, diagnosis using DNA probes, 990
—little leaf disease, molecular cloning and detection of organisms, 789
—phytoreovirus from, bait in blueberry field, 1035
—western aster yellows of, multiplication, 958
Cauliflower mosaic virus
—DNA, RNA, and coat protein in relation to symptom, in turnip, 998
—host range determinants, genetic analysis, 969
—on solanaceous hosts, gene VI effect, 969
—transgenic tobacco expression, 1018
—upstream sequences, plant polyadenylation signal, 1037
Cavileer, T. D., 118, 998, 1035
Celery
—Fusarium wilt, rhizobacteria for control, 206
—yellows disease of, resistance testing program, 1026
Cephaleuros virescens, on *Pouteria sapota*, alga blight, 975
Cephalosporium gramineum, on winter wheat, root-wounding and inoculum density effect, 1108
Ceratocystis ulmi, on elm, cell ultrastructure response from filtrate, 764, (765, 766)
Cercospora spp.
—*C. arachidicola*, on peanut, resistance, statistical procedures, 1451
—*C. asparagi*, on asparagus, chemical and cultural control, yield relation, 1103
—*C. beticola*, chitinases and glucanases from, 1073
—*C. carotae*, on carrot, infection function model, 1233
—*C. kikuchii*, light regulated gene expression, 1062
—*C. sojina*, toxins produced by, effect on pathogens, 1019
—*C. zeae-maydis*: on corn, gray leaf spot development, 672; on corn, leaf blight and yield relation, 672
Cercosporidium personatum, on peanut
—radiometer use to test fungicide efficacy, 102
—statistical procedures, 1451
Cha, B., 118
Cha, J.-S., 887, 985
Chacko, R. J., 1057
Chagnon, M.-C., 118
Chaisrisook, C., 963, 1042
Chakraborty, S., 1147
Chalutz, E., 456, 1020
Chamaecyparis nootkatensis, decline and mortality, in Alaska, 1065
Champaco, E. R., 434
Chandhoke, V., 118, 977
Chandler, C. K., 974
Chaney, W. R., 1010
Chang, C. J., 435, 438, 958, 1000
Chang, H., 1062
Chang, L. P., 118
Chang, R. J., 1070
Chang, S., 1024
Chang, T. T., 1414
Channarayappa, 670
Chao, C. P., 622
Chappelka, A. H., 1027
Charest, P. M., 994, 1053
Charudattan, R., 996
Chase, A. R., 434, 829, 972, 1001, 1058
Chastagner, G. A, 887, 978
Chastain, T. G., 474
Chatterjee, A., 984
Chatterjee, A. K., 982, 984, 1037
Chaveerra, M., 516
Chaves, O., 513
Chellemi, D. O., 887
Chen, C. C., 777
Chen, J., 958
Chen, M. J., 777
Chen, T. A., 958, 1035, 1058
Chen, W., 964
Chen, X. M., 1007, 1057
Chen, Y., 1010
Cheong, W. J., 1019
Chérif, M., 1406
Cherry, western X-disease, graft transmission, 893
Cherry leaf roll virus, on *Sambucus*, 888
Chestnut
—blight of, hypovirulent strain, analysis, 980
—blight resistance, heritable variation, 989
Chet, I., 1003
Chian, R.-J., 1012
Chiang, C., 1056
Chien, C., 1059
Chilton, W. S., 968
Chin, L.-S., 987
Chitinase, detection technique, glucanase comparison, 1055
Chitosan, effect on strawberry pathogen and *Rhizopus stolonifer*, 1020
Chiu, R. J., 777
Cho, J., 1063
Cho, J. J., 1027
Choi, D. I., 1010
Choi, G. H., 1062
Cholick, F. A., 967, 1046
Chong, J., 1045
Choudhary, A. D., 1035
Christ, B. J., 671, 672, 1034
Christensen, N. W., 971
Christians, N. E., 1031
Chrysanthemum
—ascochyta blight, fungicides for, 514
—phloem necrosis, serological detection, 124
—Phytophthora root rot, salinity predisposition, 1023
Chrysanthemum morifolium, flower abnormalities, heat induced, 978
Chu, C. C., 891
Chu, F. S., 1002
Chumley, F. G., 1382
Chung, Y. R., 73
Cicadulina chinai, maize yellow stripe virus vector, 303
Circulifer tennelus, vector for virescence, 985
Cisar, C. R., 1043
Citrus
—bacterial spot: detached leaf analysis, 190, (193); populations and survival, 996; spatial pattern analysis in epidemics, 181; strain relations, 829, (831)
—greening of: gentisic acid and symptoms, 671; transmission frequency and graft inoculation, 1001
—heat stress effect, relation to fungal pathogens, 1009
—Phytophthora gummosis and root rot, temperature effect, 1014
—Phytophthora root infection, seasonal variation, 891
—*Xanthomonas campestris* on, fruit susceptibility, 1000
Citrus ringspot virus, characterization, 1033
Citrus tristeza virus
—in Costa Rica, survey, 515
—cross-protection breakdown, in Florida, 986
—detection using monoclonal antibodies, 1034
—dot-immunobinding assay, 1059
—Spanish strains of, dsRNA analysis, 477
—strain discrimination, monoclonal antibody, 224
—strain identification by peptide map and coat protein, 692
—in sweet orange, distribution, 981
Civerolo, E. L., 671, 1001, 1071
Cladosporium caryigenum
—on hickory, scanning electron microscopy, 1071
—on pecan: cytochemical infection response, 434; tannins and isoquercitrin relation, 147
Clark, C. A., 741, 1002, 1030, 1068
Clark, J. M., Jr., 1044
Clark, M. C., 606
Clarke, B. B., 121, 122, 978
Clavibacter spp.
—*C. michiganensis:* characterization by chromatography, 318; disease control on stored pome fruits, 1050; extracellular polysaccharides produced by, 1058; hosts of, overwintering, 1070; semiselective agar medium for, 888; strain variation in, restriction fragment length polymorphisms, sequence, 90; on tomato, somaclonal variation, 999; on tomato, survival and spread, 1030
—*C. xyli*, transformation on bermuda grass to toxin, 1058
Claviceps spp.
—*C. purpurea*, on bermuda grass and bluestem, hyperparasites, 1043
—*C. sorghi*, stroma, honeydew, and conidial production, 812, (813-817)
Clay, K., 1133
Clemente, T. E., 1022, 1040
Clements, D., 1007
Cleveland, T. E., 1020, 1051, 1067
Clinics, plant disease, problems and services in tropical Asia, 890
Cloud, G. L., 1060
Clough, S. C., 1038
Clover
—proliferation: mycoplasmalike organism and DNA association, 959;

mycoplasmalike organisms, new strains, 958
—subterranean: Cercospora leafspot in Texas, 1028; luteovirus on, purification, 439
—white: leaf spots, epidemics, 1278; *Pseudomonas corrugata* on, phytoalexin biosynthesis, 1427
Clover yellow vein virus, relation to Cercospora leaf spot, 997
Coble, H. D., 1061
Cochliobolus spp., paraquat-enhanced exudation from, in sand, 434
—*C. carbonum*: on corn, genetic diversity and races, 1154, (1156, 1157); polygalacturonase gene from, characterization, 980; tox locus from, molecular cloning and characterization, 1009
—*C. heterostrophus*: fitness of, genetic transformation, 1166; host-specific virulence, reciprocal translocation, 1062; mutants that secrete enzymes, 1056; promoter strength comparison, 993; T-toxin production in, genetics and segregation, 819
—*C. sativus*: conidia, pH effect on germinability and virulence, 1028; on spring wheat, resistance, 886; on wheat and barley, fungicidal seed treatments, 1041
—*C. victoriae*, conidial germination, inhibition by fungistatic compounds, 1008
Cohen, M., 986
Cohen, R., 974
Cohen, Y., 200, 968, 1067
Coker, F. A., 1017
Colambage, C., 1072
Colbert, S., 887
Coleus, viroid from, seed transmission, 998
Colletotrichum spp.: extracellular enzymes of, characterization, 1062; nitrate nonutilizing mutants of, 1057; on soybean, interaction and systemic effect, 472
—*C. acutatum*: splash dispersal of, factors affecting, 1115; on strawberry, rain factors affecting dispersal, 1031; on strawberry fruit, rain splash dispersal. 590; on strawberry fruit, temperature and moisture effect, 111
—*C. coccodes*: on potato, foliar and soilborne aspects, 1015; survival in New York, 1026
—*C. dematium*, on spinach, compatibility and virulence, 1014
—*C. fragariae*, on strawberry, resistance, races, 973
—*C. gloeosporioides*: on *Annona* spp., fungicide control, 515; on citrus, sectoring and molecular polymorphisms, 992; on citrus fruit, postharvest handling effect, 1002; on *Stylosanthes*, quantitative resistance, 1147; on *Stylosanthes* spp., infection, 837, (839-841); on *Stylosanthes guianensis*, virulence and isozymic variation, 728; vegetative compatibility, 1057
—*C. graminicola*: on corn, stalk rot factors, 122; self-inhibitor in, survival significance, 1042
—*C. lagenarium*: on cucumber, ethylene role, 732, (735); on cucurbits, root association, 988; mutant of, transformation to wild type, 960
—*C. lindemuthianum*: on bean debris, survival, 118; pathogenic variation, 513
—*C. trifolii*, protein kinase homolog from, cloning, 993
—*C. truncatum*: conidiation of, in culture, disease on *Sesbania*, 991; sclerotial-forming isolates, on soybean, 1044; on soybean, soil temperature effect, 1040
Collins, D. J., 627, 994
Collins-Shepard, M. H., 435, 1052
Collmer, A., 983, 984, 1037
Collmer, C. W., 983
Commelina yellow mottle virus, bacilliform virions of, dsDNA molecules, 127, (129)
Computer
—disease data entry, system for remote storage, 438
—late blight of potato, metalaxyl resistance, factors and simulation, 1190
Computer diskettes, fungal deterioration of, 963
Concelmo, D. E., 994
Conifer, seedlings in nurseries, fumigation and factors affecting, 698
Connick, W. J., Jr., 1053
Constantinidou, H. A., 934
Converse, R. H., 543, 888
Conway, K. E., 434, 1043, 1048, 1103
Conway, W. S., 1044
Cook, D., 984, 1047, 1071
Cook, D. M., 1058
Cook, R. J., 784, 969
Cooksey, D. A., 887, 890, 985
Cooley, D. R., 118
Cooperman Sollod, C., 960
Coplin, D. L., 985
Corn (see also Maize)
—aflatoxin contamination in seeds of, atoxigenic strains of *Aspergillus*, 1020
—aflatoxin on, chitosan and microbial effects, 1015
—anthracnose stalk rot of, ergosterol content and discoloration, 1069
—*Aspergillus* and *Fusarium* on kernels of, in field, 439
—Aspergillus ear rot: aflatoxins, 1283; wounds and pathogenesis, microscopy, 1287, (1289, 1291, 1293)
—bacteria as seed treatment, stand effect, 1049
—*Cochliobolus carbonum* on, genetic diversity in field, 1154, (1156, 1157)
—*Cochliobolus heterostrophus* on, fitness and genetic transformation, 1166
—*Colletotrichum graminicola* on, wound effects, 1005
—cotton rotations with, reniform nematode management, 1047
—cyst nematode of, screening breeding lines, 671
—*Fusarium* and *Diplodia* association, germination effect, 131
—Fusarium ear rot, susceptibility factors, 888
—*Fusarium* spp. from, in central and eastern USA fields, 343
—gray leaf spot of, disease gradients and residues, 1031
—*Helminthosporium carbonum* on, resistance host compound, 1003
—Helminthosporium leaf spot, resistance induced by inhibitory compound, 1225, (1227)
—kernel decay, *Aspergillus flavus* relation, 1070
—kernel splitting, relation to ear rot in Texas, 1045
—leaf rust, resistance erosion during selection, 339
—leaf spot, races 1 and 2 in sequence inoculation, 1221, (1222, 1223)
—nematodes on, in Mississippi, 439
—new virus of, in Hawaii, 892
—northern leaf blight: cytological analysis of resistance, 196, (197-199); monogenic resistance, temperature and light effect, 309, (311)
—peptides from seed, antifungal activity, 1053
—rust resistance, complex locus, 1007
—seedling blight, fungi associated, 891
—slow rusting components in, characterization, 1069
—stalk quality traits, genetic analysis, 1046
—stalk rot versus senescence, 1004
—sweet: *Fusarium moniliforme* in kernels of, carbohydrate relation, 487; northern leaf blight of, assay for monogenic resistance, 968; rust, crop loss and action threshold, 846; rust, incidence-severity relations, 842; Stewart's wilt, sequential planting effect, 1063
—virus survey in Nebraska, 1022
—yeast effect on *Colletotrichum*, 1049
Corn lethal necrosis, incidence in Hawaii, 1022
Cornus florida, anthracnose of, histopathology, 1065
Correll, J. C., 887, 1014, 1026, 1057
Corwin, B. S., 970
Costa, H. S., 888
Costa, J., 985
Costello, L. R., 977
Cotton
—endophytic bacteria in, symptom-free, 808
—seedling pathogens: bacterial seed treatment, 1051; winter crop effect, 970
—transpiration stress syndrome, in California, 891
—Verticillium wilt, population dynamics, 987
Cotty, P. J., 994, 1020, 1067
Couey, H. M., 891
Courtney, M. L., 1051
Coutinho, T. A., 961, 1010
Covert, D. C., 992
Cowling, K. B., 1051
Cowling, W. A., 1000, 1039
Cowpea chlorotic mottle virus
—coat genes, exchange, 983
—on soybean, protein, 960
Cowpea mosaic virus
—capsid gene, molecular cloning, 1037
—electrophoretic form conversion by beetles, 900
—on tobacco, coat protein coding region, 437
Cowpea severe mosaic virus, serotypes, signature analysis, 1032
Cox, R. L., 1476
Craft, C. M., 122
Craig, J., 1069
Craig, M. L., 962
Cranberry
—cottonball disease of, in Wisconsin, 970
—Lophodermium twig blight, infection period, 886
—powdery mildew of, first report, 973
Creamer, R., 986
Crevier, H. A., 118
Criconemella xenoplax
—fungicide sensitivity, fungal parasitism, 1142
—on roots, behavior in culture, 1046
Crinipellis perniciosa, on cacao, infection process, 514
Cronartium spp.
—*C. quercuum*: on loblolly pine, isolate frequency and virulence, 614; on slash pine, histology, 251, (253, 254)
—*C. ribicola*, on *Ribes*, resistant cultivars, 118
Crumley, C. R., 438
Cryphonectria parasitica
—on chestnut: canker conversion on stems, 989; water stress effect, 976

—cytoplasmic hypovirulence agent, 1064
—dsRNAs of: genetic relatedness, 976; homology sequence, 993
—endothiopepsin, clones encoding, 1062
—host functions suppressed by, hypovirulence association, light effect, 950, (952)
—hypovirulence, nucleotide sequence, 1062
—hypovirulent strain, molecular analysis, 981
—mitochondrial genome, characterization, 993
—on scarlet oak, survey, 124
—vegetative compatibility groups, spatial patterns, 988
Cryptococcus laurentii
—on apple, postharvest biocontrol, 526
—on apple and pear fruit, population dynamics, environmental factors, 1020
Csinos, A. S., 434, 999
Cu, R. M., 670
Cubeta, M. A., 1008, 1028
Cucumber
—anthracnose of: ethylene role, 732; factor for systemic resistance, 960
—hypersensitivity to *Pseudomonas syringae*, hydroxy radical role, 1003
—Pythium damping-off, suppression in compost-amended container media, 794, (801)
—Ulocladium leaf spot of, in New York, 125
Cucumber mosaic virus
—on banana in Morocco, importance, 981
—electrophoretic characterization, in Costa Rica, 516
—genetic mapping of symptoms, 969
—pathogenicity and transmission, determinants, 1035
—on Peperomia, Impatiens, and Hibbertia, 1061
—satellite RNA: point mutation and chlorosis, 1017; serogroups, field survey, 1238
Cucurbits, viruses of
—distribution in Texas, 435
—in Guam, 1063
Cuero, R. G., 1015
Culbreath, A. K., 434, 988, 1395
Cullen, R. E., 1063
Culver, J. N., 961
Cummings Carlson, J. E., 977, 1064
Cummins, J. N., 119
Cunfer, B. M., 438, 962, 967
Cuppels, D. A., 974, 982
Custer, D. M., 1027
Cyclaneusma minus
—in pine needles, pathological anatomy, 121
—on Scotch pine, epidemiology and control, 976
Cylindrocladium spp.
—*C. crotalariae*, on peanut, spatial patterns in field, 1395
—*C. scoparium*, survival in soil, 671
Cymbidium mosaic potexvirus, in orchids, detection using monoclonal antibodies, 1033

Daggett, S. S., 124
daGraca, J. V., 1033
Dahal, G., 371, 659
Dahlbeck, D., 961
Dahler, G. S., 983
Dalkin, K., 959
Dally, E. L., 789, 990
Damann, K. E., 1001, 1055
Damicone, J. P., 571, 1014, 1039
Damsteegt, V. D., 987
Dandurand, L.-M., 1009
Dane, F., 972
D'Arcy, C. J., 377, 1041, 1059, 1061
Darnetty, 1055
Dashiell, K. E., 1000, 1013
daSilva, S. R., 1049
Datnoff, L. E., 1032
Datura stramonium, mycoherbicides for, inoculum threshold and invert emulsion, 925
Daub, M. E., 960, 1069
Davenport, F. E., 118
Davis, C. L., 1048
Davis, D. D., 124, 991
Davis, D. W., 339
Davis, G. E., 1053, 1056
Davis, J. R., 1015
Davis, K. R., 1022
Davis, R. E., 789, 946, 958, 959, 990
Davis, R. M., 888, 1072
Davison, A. D., 597
Dawson, W. O., 961
Daykin, M. E., 736
Deahl, K. L., 670, 673
Dean, R. A., 993
DeBoer, S. H., 665
DeCal, A., 494
Deeter, B., 891
Défago, G., 1024
DeFeyter, R., 961
de la Cruz, A. R., 888
de la Fuente, M. E., 996, 1029
Delgado, M., 434, 1048
DeLindo, L., 1002
de los Angeles Mora, M., 516
Delserone, L. M., 1063
deMilliano, W. A. J., 943
Demler, S. A., 968
Demski, J. W., 434, 988
deNazareno, N. R. X., 1031
Deng, S. J., 959
Denny, R., 1031
Denny, T. P., 1038
DeParasis, J., 618
Dernoeden, P. H., 646, 650, 655, 975
Derrick, K. S., 1033
Derrick, W., 1066
Désilets, H., 118
deSouza, V. B. V., 548, 1092
Dessaux, Y., 1037
Dessert, J. M., 514, 516
Detection, remote, crop stress, APS plenary session, 37
DeVries-Paterson, R. M., 999
deZoeten, G. A., 441, 446, 968
Di, R., 1032
Dianese, J. C., 641
Diaporthe phaseolorum
—dsRNA from, on soybean, 966
—soil moisture effect, 1014
—on soybean, spatial and temporal spread, 571
Dickman, M. B., 993, 1057
Diehl, S. V., 434, 1071
Dienelt, M. M., 978
Dietzgen, R. G., 282
Dik, A. J., 1016
Dillard, E. A., 436, 1008
Dillard, H. R., 118, 842, 846, 1026
Diplodia spp., on corn, *Fusarium* association, germination effect, 131
Discula spp.
—biology, pH effect, 1042
—on dogwood: biology, 978; on fruits and seeds, 977
Disease diagnosis, immunoassay, for cereal foot rot, 963
Disease forecasting, apple diseases, computer simulation to timing of fungicide sprays, 1212
Ditylenchus destructor, on snapbean, population dynamics, 1012
Dixon, R. A., 959, 1035
Djurle, A., 997
DNA
—nucleic acid probes, bacteria identified by, 618
—probe, *Erwinia carotovora* detected by, in soil, 665
Dodds, J. A., 850, 981
Dogwood
—anthracnose: *Discula* isolation, 1072; infection, 1068; scanning electron microscope studies, 1066
Domir, S. C., 764
Dong, L.-C., 1071
Donndelinger, C. R., 808
Dorrance, A. E., 118
Dostaler, D., 124
Doster, M. A., 1190
Double, M. L., 988
Doudrick, R. L., 869
Douglas, S. M., 789
Douglas-fir
—*Fusarium* on seeds of, pathogenicity, 1065
—root rot of, stand condition in plantation, 553
Doupnik, B., Jr., 1022
Doupnik, B. L., 1004
Dowler, C. C., 1010
Dowler, W. M., 1013
Dracaena marginata, root and stem rot of, *Erwinia* cause, 516
Drechslera teres, on barley, in South Carolina, 435
Drilias, M. J., 973, 1025
Dristig, M. C. G., 641
Droby, S., 1020
D'Souza, T., 963
Duarte, V., 1002, 1030
Ducasse, D. A., 983, 1018
Duffus, E., 1015
Duffus, J. E., 704, 866, 1352
Duncan, K. E., 994
Duniway, J. M., 277, 1023, 1025
Dunkle, L. D., 1003, 1221, 1225
Durbahn, C. M., 993
Duthie, J. A., 997
Duvick, J. P., 1053
Dyer, P. S., 1040, 1044

Eastman, C. E., 1061
Eayre, C. G., 994
Echandi, E., 1008, 1028
Echávez-Badel, R., 513, 1050
Eckert, J. W., 228
Ectomycorrhizae, transformation of, 980
Edelson, J., 1026
Edington, B. V., 959, 1035
Edmonds, R. L., 989
Edmondson, G. R., 436
Edwards, H. H., 1067
Edwards, L. A., 959
Edwards, M. C., 1021
Egel, D. S., 965, 1057
Eggplant, tymovirus from, cytopathology and properties, 1092, (1094, 1096, 1097)
Ehrenshaft, M., 1062
Eisenia fetida, virucidal enzyme system in, 1027
Elad, Y., 1055
El-Dein, O. A. E., 963
El Ghaouth, A., 1020
Elias, K. S., 980
El-Kady, E. S. M., 963
Ellett, C. W. 1267
Ellingboe, A. H., 108, 1016
Elliott, M. L., 978
Elliott, M. S., 436
Elliott, V. J., 1041
Ellis, M. A., 111, 590, 1031, 1115
Ellis, P. E., 888
Elm

—cell ultrastructure, response to *Ceratocystis ulmi*, 764, (765, 766)
—Siberian, decline in Great Plains, 1064
Elmer, W. H., 119, 1025, 1029
El-Nashaar, H. M., 966, 1002
Elrod, J. M., 472
El-Zik, K. M., 965
Emechebe, A. M., 1000
Emmett, R. W., 974
Emmons, S. W., 1007
Endocronartium harknessii, on lodgepole pine, pathosystem, 1269
Endophyte
—bacteria, in cotton plants, symptom-free, 808
—ergoline alkaloids in fescue, detection by immunoassay, 1052
Endothia parasitica, dsRNA effect on pathogenicity, 670
Enebak, S. A., 670, 976
Engelhard, A. W., 513, 514
Engelkes, C. A., 339, 970
English, J. T., 277
Enterobacter cloacae, glucosidase activity, 965
Epichloe spp., fungal endophyte complex, isozyme variation, 1133
Epidemic, stochastic, vector preference effect, 988
Epidemiology
—citrus bacterial spot, spatial pattern analysis, 181
—model for expansion rate in cultivar mixtures, 598
—path coefficient analysis, pepper blight, 1439
Epstein, L., 968, 1008
Eragrostis curvula, magnaporthe grisea on, cytology and pathogenicity, 1382, (1384)
Errata
—vol. 78, no. 6, 1988, 313
—vol. 79, no. 10, 1989, 220
—vol. 80, no. 12, 1476
Erwin, D. C., 890, 1055
Erwinia spp.: bacteriophages of, control, 994; on cotton, endophyte, 808
—*E. amylovora*: DNA homology, *hrp* gene cluster, 1038; *hrp* gene cluster of, homology with *Escherichia coli*, 1039; *Hrp* mutants, 985; lactic acid bacteria antagonistic to, 673; molecular cloning of gene, polysaccharide synthesis, 982; pathogenicity gene, predicted protein product, 1038
—*E. carotovora*: extracellular proteins of, *aep* gene required, 984; immuno-trapping for isolation, 888; pectin lyase structural gene, characterization, 984; on potato, microclimate and canopy factors, 350; strains of, serological diversity, DNA probe specificity, 665; trans-acting factor, genetic evidence, 1037
—*E. chrysanthemi*: extracellular metalloproteases from, gene cloning, 983; molecular cloning and mutagenesis, 984; pectic enzymes produced, new set, 983; on sweetpotato, during growing season, 1030
—*E. herbicola*, on wheat roots, herbicolin detection, 969
—*E. stewartii*, mutants of, watersoaking on corn, 985
Erysiphe graminis
—on barley: growth reduced by *Tilletiopsis*, 1050; populations in Europe, spatial analysis, 1014; *Tilletiopsis pallescens* effect on growth, 325, (327-329)
—on wheat: introgression of resistance from rye, 242; resistance gene, chromosomal location, 1129
Eschen, D. J., 1051
Esquerré-Tugayé, M.-T., 163
Esser, R. P., 676
Estes, D. K., 985
Eucalyptus globulus, sudden death of, 977
Euonymus europaeus, nepovirus from, characterization, 134, (136, 138, 139)
Euphorbia virgata, rust of, aroma compounds affecting, 1050
Evans, C. K., 1006
Evans, T. A., 1021
Everts, K. L., 433, 1013, 1203, 1387
Ewing, E. E., 466
Exserohilum turcicum
—on corn, monogenic resistance: measurement, 196, (197-199); temperature and light effect, 309, (311)
—on sorghum, blight severity in South Africa, weather factors, 943

Fail, G. L., 1259
Fajemisin, J. M., 1013
Falk, B. W., 987
FallahMoghaddam, P., 1063
Fang, J. G., 888
Fang, N., 958
Faria, J. C., 983
Farih, A., 967
Farrand, S. K., 503, 984, 1037, 1053, 1058
Farrar, J. J., 888
Farrera, R. E., 974
Farrokhi-Nejad, R., 1043
Fattouh, F. A., 913
Feindt, D. M., 962, 963
Fekete, F. A., 118
Feliciano, A. J., 892, 1020
Fenn, P., 437
Ferguson, M. W., 1004
Fernandez, F. A., 1040
Fernandez, J. A., 888
Fernandez, J. P., 888
Fernando, W. G. D., 1011, 1049
Ferrandino, F. J., 119, 1029, 1469
Ferrell, G. T., 990
Ferrin, D. M., 971, 975
Ferriss, R. S., 998, 1357
Fescue (see also Turfgrass)
—ergovaline detection in, monoclonal antibody use, 1020
—patch diseases of, susceptibility, 978
—stem rust of, cultivar reaction, 1043
Fetch, T. G., Jr., 1059
Field, T. K., 1032
Filajdic, N. M., 973
Filer, T. H., 1011, 1064, 1065
Filonow, A. B., 434, 1040
Finckh, M. R., 988
Fir, Phytophthora root and stem canker, symptoms, 887
Fischer, S., 962
Flasinski, S., 1034, 1061
Fletcher, J., 1072
Flores, D., 514
Flores, Z. M., 659
Fogle, D., 1031
Fokkema, N. J., 1016, 1049
Fong, D., 1065
Foor, C. J., 1103
Ford, R. E., 907
Forster, R. L., 888
Fortin, J. A., 1312
Fought, L., 960
Fouly, H. M., 1061
Fouse, D. C., 217
Fox, J. W., 989
Franck, A., 78
Francl, L. J., 425
Fravel, D. R., 670, 995, 1120
Frederick, R. D., 985
Frederiksen, R. A., 1015, 1047, 1048, 1069
French, R., 1018
French, R. C., 872, 1050, 1053
Frenkel, M. J., 998
Frías-Treviño, G. A., 514, 516
Friebe, B., 242, 1129
Frist, R. H., 670
Frommel, M., 1016
Fry, S. M., 61, 66
Fry, W. E., 361, 466, 772, 965, 1006, 1190
Fuertges, F., 1035
Fulbright, D. W., 993
Fumigation, in conifer nurseries, effects and factors, 698
Fungistasis, capacity in soil, comparison of methods, 1059
Fungicides, general (see also Fungicides, specific, and Pesticides)
—*Hirsutella rhossiliensis* sensitive to, 1142
—laboratory evaluation for *Colletotrichum, Gloeosporium*, and *Rhizoctonia* spp., 517
—oil, activity for foliar pathogens, 978
—peanut late leaf spot control, multispectral radiometer for evaluation, 102
—resistance in *Phytophthora parasitica*, genetics of, 1414
—resistance in plant pathogens, stochastic model, 410
—sprays for three apple diseases, infection criteria, 1212
Fungicides, specific (see also Fungicides, general)
—benzimidazole, dwarfing symptom remission in hardwoods, 975
—carboxin, *Ustilago nuda* inhibition, 509, (511)
—fosetyl-Al, for *Lactuca* and *Cichorium*, foliar application, 1027
—metalaxyl: *Phytophthora infestans* resistant to, factors, 1190; *Phytophthora infestans* sensitivity, on potato, 200
—pinolene for retention on hosts, 515
—triadimenol, *Ustilago avenae* resistant to, 584
Funk, C. R., 978
Furnier, G. R., 869
Fusarium spp.: conidia, nucleus number, 1042; in conifer nurseries, fumigation effect, factors, 698; on corn, association and germination effect, 131; on corn, cotton, and sorghum, characterization in Texas, 1045; on corn, identification, 120; on corn, rhizosphere competence, carbon relation, 1024; from corn and sorghum, genetic diversity in population, 1042; from corn, sorghum, and soybean, species in central and eastern USA, 343; hybridization by protoplast fusions and anastomoses, 1057; hygromycin and benomyl tolerance in, 1061; isolate fertility in section *Liseola*, from corn and sorghum, 963; rhizosphere competence, antagonism, 995; toxicity and toxin production of, from Alaska, 1019; zearalenone sulfate produced by, 1019
—*F. culmorum*: new toxin from, purification and activity, 1002; on wheat, head blight effect on toxin and kernel weight, 566
—*F. graminearum*: allozyme and DNA polymorphisms to relate populations, 963; wall-degrading enzymes produced by, 959; on wheat, stubble management, group 1, 877
—*F. lateritium*: on sweetpotato, leaf distortion from, 741; on sweetpotato, shoot-tip mucilage, 1068
—*F. moniliforme*: on corn seed, populations, vegetative compatibility group, 1043; on fig, endosepsis, 1071; on millet and sorghum, isozyme analysis, 122; on rice, biocontrol with bacteria, 1011; on sweet corn, carbohydrate and silk condition

factors, 487; wall-degrading enzymes produced by, 959
—*F. nygamai*, on millet and sorghum, isozyme analysis, 122
—*F. oxysporum*: on carnation, vegetative compatibility group and restriction fragment length polymorphism probe, 336; on celery, hydrolases from, resistance effect, 1052; on celery, rhizobacterial interaction, metham-sodium effect, 206; on Chenopodiaceae, isolate relations, 1008; DNA fingerprinting of strains, genomic sequences, 980; genetic diversity, restriction fragment length polymorphism use, 966; geographic isolates and races, mitochondrial DNA analysis, 435; on melon, residue colonization, 381; mitochondrial DNA, physical map, 993; on muskmelon, races 0, 1, and 2, resistance genetics, 1230; nitrate nonutilizing mutants of, medium, 1045; on pea, histopathology and ultrastructure, 756, (757-762); pisatin demethylating ability of, gene encoding, 1063; protoplast fusion products, DNA molecule analysis, 993; RFLP based phylogeny, 980; spatial distribution in hydroponic systems, 124; on tomato, chitin breakdown from *Trichoderma* on, 1406, (1409-1412); tomato root rot from, resistance mechanisms, 163, (165, 168-172); vegetative compatibility groups, antigens, 963; on watermelon, indigenous strains, 995; on watermelon, recovery from soil, 1009
—*F. solani*: in citrus, ELISA and immunocytochemical detection, 1053; phytoalexin-detoxification gene from, genetics, 1062; phytotoxins produced by, immunoassay for, 298; on soybean, culture filtrate toxicity, 1044; on *Vigna*, in hydroponic systems, factors, 971
—*F. subglutinans*: on Monterey pine, resistance to, 977; on pine, beetle association, 989

Gabriel, D. W., 961, 985
Gadoury, D. M., 119, 393, 969, 970, 973, 1198
Gaeumannomyces spp.
—*G. graminis*: heat inactivation, 1024; inoculum potential, 438; phleomycin resistance of, transformation, 1124; phleomycin resistance, transformation and cotransformation, 1046; on wheat, detection using polymerase chain reaction, 1073
—*G. incrustans*, temperature-osmotic potential interaction, 646
Galindo, J. J., 513, 514, 516
Gallegly, M. E., 670, 671
Gallenberg, D. J., 1071
Gamboa, A., 515
Gámez, R., 516
Ganoderma lucidum, on citrus, root rot, 974
Gao, S. J., 976
Garber, R. K., 1012
García G., J. E., 514
Garde, S., 1037
Gardes, M., 1312
Garibaldi, A., 995
Garnett, H., 1001
Garnsey, S. M., 224, 1034
Garraway, M. O., 1023
Gavin, A. M., 1025
Gawel, N., 958
Gay, D., 1026
Gehring, E. H., 1011
Gendloff, E. H., 1002
Gera, A., 78
Geranium
—bacterial wilt, detection using polyclonal antibody assay, 357
—fungicides for, residual activity, 979
—stem blight, relative humidity effect, 979
Gergerich, R. C., 134, 900, 1032, 1060, 1061, 1092
Gerik, J. S., 1352
German, T. L., 998
Gessler, C., 1009
Ghabrial, S. A., 437
Gianessi, L. P., 671
Gibberellin, beet leafhopper virescence involvement, 958
Gilbert, G. S., 995
Gilbertson, R. L., 886, 974, 983
Gilchrist, D. G., 972, 1004, 1006, 1046
Gildow, F. E., 119, 121, 123, 986, 1034
Gillespie, A. J. R., 1064
Gingery, R. E., 303, 687, 986, 1022
Gisi, U., 1067
Gitaitis, R. D., 318, 435, 438, 992, 1000, 1026
Glasgow, D. G., 437
Glaszmann, J.-C., 999
Glawe, D. A., 1021
Glazener, J. A., 1054
Gleason, M. L., 1030, 1031
Gliocladium virens
—biocontrol agent for apple root and crown rot, 880
—biocontrol for dollar spot on bermudagrass, 435
—metabolites of, effect on *Pythium* sporangia and mycelium, 461
—*Pythium* and *Rhizoctonia* biocontrol, in zinnia, 1016
—*Sclerotium rolfsii* sclerotia affected by, 627
Globodera spp., host range and economic importance, 122
—*G. rostochiensis*: host resistance to, egression, 1013; juvenile egression rates, 122
—*G. tabacum*, fenamiphos for control, 971
Gloeophyllum trabeum
—iron-chelating compounds from, purification, 977
—siderophore production by, 118
Glomerella spp.
—*G. cingulata*: on apple, calcium effect, 1044; monoterpenes transformed by, 1053
—*G. graminicola*, genetic analysis of, 963
Goad, D. W., 1053
Goates, B. J., 1045
Godoy, G., 1016
Goldberg, K.-B., 1018
Goldberg, N. P., 889, 1244
Golino, D., 117, 958, 985, 1022, 1072
Gómez, L., 988
Gómez, R., 515
Gonsalves, C., 983
Gonsalves, D., 117, 120, 158, 920, 969, 983, 986, 1017, 1022, 1238
Gonzalez, C. F., 965, 1011
Gonzalez, D., 151, 1007
Goodin, M., 1037
Goodman, C. A., 964
Goodman, R. N., 964
Goodwin, P. H., 277
Goodwin, S. B., 965, 1006, 1330
Gordon, D. T., 303, 986, 1034
Gordon, T. R., 381, 977, 989, 1000
Gosselin, A., 124
Goth, R. W., 519, 670
Gottwald, T. R., 181, 190, 964, 996
Gough, F. J., 966
Gowanlock, D. H., 837
Gowda, S. G., 1018
Gowri, G., 959
Graham, E. T., 1068
Graham, J. H., 181, 190, 829, 965, 972, 996, 1000, 1057
Graham, M. Y., 1009
Graham, T. L., 1009
Graminella nigrifrons, maize chlorotic dwarf virus vector, spread, 291
Grant, G., 892
Grape
—berry rot diseases, fungicides for, 438
—mildew and black rot, fungicides for, 119
—infected juice of, *Botrytis cinerea* detection using glycolipids, 1013
—mildew of, ascospore germination and infection, 1198, (1199)
—postharvest decay control, factors, 972
—powdery mildew of: severity and incidence, 970; spore discharge, 393, (396-398)
Grape leafroll virus, serotype characterization, 117
Grapevine
—corky bark of, closterovirus-like particles from, 1022
—*Eutypa lata* on, wound response and resistance, 973
—leaf roll disease, monoclonal antibody to characterize, 920
—Pierce's disease bacterium on, tissue response in cultivars, 66
—*Xylella fastidiosa* on, multiplication and translocation, 61
—yellows disease of, possible vector in New York, 1013
Grapevine leafroll virus, closterovirus characterization, 986
Grau, C. R., 331
Graves, B., 438
Graves, C. H., Jr., 147, 434, 438, 1071
Gray, F. A., 228, 888, 889
Gray, L. E., 1044
Gray, S. M., 1022
Graybosch, R., 1037
Grayson, R. L., 672
Greathead, A. S., 1026
Green, R. J., 1010
Gressel, J., 925
Grey, W. E., 889
Griesbach, J., 970
Griffin, G. D., 228, 1006
Griffiths, H. M., 1061
Grimes, D. W., 1317
Grinberger, M., 200
Grisham, M. P., 1070
Gross, D. C., 1038
Grossmann, F., 514
Groth, D. E., 975, 1041
Groth, J. V., 141, 339, 1056, 1057
Grothaus, G. D., 962
Grove, G. G., 889
Grumet, R., 1052
Grybauskas, A. P., 646, 650, 655, 672
Gu, W.-K., 1006
Gubler, W. D., 891, 975, 1031
Gudmestad, N. C., 90
Guerber, J. C., 1014
Guerri, J., 477, 692
Guevara, Y., 965
Gullino, M. L., 995
Gulya, T. J., 1005, 1032, 1059
Gumpf, D. J., 224, 1034
Guo, J. R., 1035
Gurasinghe, U. B., 987
Gustafson, G. D., 1053, 1056
Gustine, D. L., 1427
Guyon, P., 1037
Gwinn, K. D., 435, 1025, 1052

Haas, D., 1024
Hadar, Y., 794
Hadidi, A., 119, 263, 983, 1048
Hadwiger, L. A., 1009, 1056
Haefele, D. M., 1049

Hagan, A. K., 962
Hague, M. I., 964
Hajlaoui, M. R., 117
Halbrendt, J. M., 119
Haliburton, J., 1052
Hall, R., 117
Hallauer, A. R., 1070
Halliwell, R. S., 435
Halpern, B. T., 998
Halseth, D. E., 125
Hamelin, R. C., 998
Hamer, J. E., 1015
Hamilton, R. I., 1034
Hamm, P. B., 698, 887, 1048
Hammar, S., 287
Hammerschmidt, R., 960, 1054
Hammond, J., 1018, 1033
Hammond, R. W., 263, 516
Hanau, R. M., 963
Hancock, J. G., 206, 965, 992, 997, 1317
Handelsman, J., 437, 995
Hansen, E. M., 698, 1065
Hanson, S. F., 983
Harman, G. E., 880, 992
Harmon, G. L., 1054
Harpending, P. R., 1039
Harper, D. H., 1071
Harrelson, K. S., 988
Harrington, T. C., 1460
Harris, C. M., 217
Harris, K. F., 609
Harrison, N. A., 1476
Hart, J. H., 1054
Hart, L. P., 961
Hart, P., 960
Hartman, G. L., 1002, 1069
Hartnett, D. C., 1177
Hartsell, P. I., 217, 1045
Hartung, J. S., 829, 972
Harveson, R. M., 435
Hashimoto, J., 263
Hashmi, G., 671
Hatfield, J. L., 37
Hattingh, M. J., 964
Hausbeck, M. K., 979
Hawk, J. A., 1063
Hayashi, N., 1088
Hayashi, Y., 636
Hayati, I., 1060
Hayes, S. W., 988
Haygood, R. A., 435
Hazelnut, filbert blight of, incidence in Oregon, 970
Hazelwood, D., 1022
He, S. Y., 984
Headrick, J. M., 487
Heath, M. C., 1382
Hebard, F. V., 989
Hedin, P. A., 147, 434, 1061
Heidel, G. B., 435
Heiny, D. K., 435
Held, M. M., 1046
Hellmann, G., 1036
Hellmann, R., 671
Helminthosporium spp.
—*H. carbonum*: on corn, race 1 and 2 relation, resistance, 1221, (1222, 1223); on corn, resistance induced by inhibitory compound, 1225, (1227)
—*H. solani*, thiabendazole resistance, 1027
Hemenway, C., 1073
Hemileia vastatrix, on coffee: early infection, 961; epidemiology in Colombia, 988; resistance, 1000; triazole effect on, 513
Hemlock, western, basal decay, ecology, 989
Henderson, C. T., 1034
Hendson, M., 972
Hennessy, G. G., 943
Hennon, P. E., 1065
Henson, D. J., 217, 972, 1045
Henson, J. M., 1046, 1073, 1124
Hepfer, C. A., 206
Herr, L. J., 963
Herrera, F., 514
Hershenhorn, J., 1374
Heterodera spp.
—*H. glycines*: on soybean, distribution in Iowa, 1046; on soybean, hatch and emergence related to leachates, 1047
—*H. schachtii*, nematophagous fungus of, factors, 1083
Hetherington, A. M., 1055
Heuchelin, S. A., 976
Heun, M., 242, 1129
Hewings, A. D., 987, 1021, 1048, 1061
Hewitt, B. G., 1033
Hibben, C. R., 990
Hibino, H., 371, 659
Hichelmore, R. W., 966
Hicks, K. B., 1038
Hiebert, E., 987, 1063
Hildebrand, D. C., 972
Hill, J. H., 1032
Hill, J. P., 974
Hill, R. L., 650, 655
Hill, R. R., Jr., 122, 1003, 1247, 1300
Hillman, B. I., 118, 950, 976, 980, 981, 998, 1035, 1062
Himmel, P. T., 1021
Hippe, S., 325, 1050
Hirano, S. S., 934
Hirayama, L., 119
Hirsutella rhossiliensis
—*Criconemella* parasitic to, fungicide sensitivity, 1142
—spore mortality of, rate, 1011, 1083
Hiruki, C., 958, 959
Hobbs, H. A., 268
Hoch, H. C., 1043
Hodge, N. C., 1058
Hodgson, R. A. J., 1017
Hoelmer, K. A., 895
Hogue, J. R., 124
Hoitink, H. A. J., 73, 970, 977
Holcomb, G. E., 978
Holliday, M., 1003
Holt, C., 1017
Holub, E. B., 331
Hong, S. B., 1037
Hoogkamer, W., 598
Hooker, M. E., 671, 1001
Hopkins, D. L., 435, 996, 1009
Hord, M. J., 1025, 1029
Horne, C. W., 1141
Horovitz, D., 1009, 1056
Horst, R. K., 120, 122, 124, 979, 1013
Horton, J. L., 888
Houston, D. B., 119
Houston, D. R., 119
Howard, C. M., 974
Howard, K. M., 991
Howard, R. J., 1382
Howd, D. S., 1048
Howell, C. R., 1016
Howell, S. H., 983
Howson, J. M., 1038
Hoy, J. W., 121, 622, 964
Hrabak, E. M., 984
Hsiang, T., 978
Hsu, H. T., 158, 672, 824, 946, 958, 1033
Hsu, L., 125
Hsu, Y. H., 672, 777, 824
Hu, J., 889
Hu, J. S., 117, 120, 920, 986, 1017, 1022
Hu, Y., 998
Huang, C., 263
Huang, D., 81
Huang, H.-C., 984
Huang, P.-Y., 1022
Hubbard, J. P., 1001
Huber, D. M., 970
Hudler, G. W., 124, 272
Huettel, R. N., 671
Huff, D. R., 435, 979
Hulbert, S. H., 979, 1007
Hunger, R. M., 433, 967, 1006, 1033
Hunst, P. L., 987
Hunt, A. G., 1037
Hunt, R. S., 1065
Hunter, B. B., 671
Hunter, B. G., 282
Hunter, J. E., 938, 982
Hussey, R. S., 709
Hutcheson, S. W., 984
Hutchison, R., 990
Hyakumachi, M., 1028, 1053
Hymenaea courbaril, *Pestalotia subcuticularis* on, infection process, 1259, (1261-1263)
Hypoxylon spp.
—*H. atropunctatum*, on oak stem, water content effect, 437
—*H. mammatum*, on aspen, tissue culture and inheritance, 120

Ichida, J. M., 764
Ikegami, H., 1028
Inbar, Y., 977
Integrated pest management, pesticide use data evaluation, 671
Irwin, J. A. G., 837
Isakeit, T., 992
Israel, H. W., 120, 124
Itoh, Y., 1003, 1067

Jabaji-Hare, S., 994, 1053
Jackson, A. O., 282, 1033
Jackson, M. A., 991
Jackson, N., 520
Jacobi, V., 120, 990
Jacobs, K. A., 889
Jacobsen, B. J., 962
Jacome, L. H., 987
Jaffee, B. A., 1011, 1083
Jakobek, J. L., 1010
James, R. V., 1063
Jan, H., 1069
Janda, M., 983
Jang, J. C., 1347
Janisiewicz, W., 671, 1050
Jardine, D. J., 1030
Jarlfors, U., 1023, 1033
Jarret, R., 958
Jeffers, S. N., 970, 973, 1025
Jellison, J., 118, 977
Jenns, A. E., 960, 1069
Jensen, S. G., 907, 1022
Jiang, J., 1055
Jiang, X. Q., 960, 1060
Jiménez, J. M., 515
Jin, X., 992
Joaquim, T. R., 1160
Jochimsen, K. N., 891, 893, 964
Johnk, J. S., 960
Johnson, A. W., 1010
Johnson, B. B., 436
Johnson, C. S., 671, 673, 971
Johnson, D. A., 228, 321
Johnson, G. A., 989
Johnson, K. B., 416, 970, 1014, 1031, 1043
Johnson, L. B., 1053
Johnson, L. E. B., 962, 963
Johnson, L. F., 1357
Johnson, M. W., 1063
Johnston, R. H., 889
Johnston, S. A., 120
Jones, A. L., 974, 984, 994
Jones, D. A., 982
Jones, E. D., 316
Jones, J. B., 972, 999, 1070

Jones, J. P., 999
Jones, K. J., 1028
Jones, M. J., 968
Jones, R. A. C., 1028
Jones, R. K., 960
Jones, R. W., 1033
Jordan, R. L., 1018, 1033
Jorge, P. E., 1010
Joshi, M. M., 963
Jourdain, E. L., 439
Jursinic, P. A., 1052
Juvik, J. A., 487
Juzwik, J., 990

Kabwe, M. K., 1019, 1051
Kackley, K. E., 646, 650, 655
Kadish, D., 200
Kahn, B. A., 434
Kaiser, W. J., 889, 1021
Kalb, D. W., 120
Kalis, R. A., 1043
Kaloshian, I., 1004
Kameoka, H., 1053
Kamo, K. K., 1018
Kao, L. B., 1059
Karkashian, J., 516
Kartaatmadja, S., 1182
Karu, A., 282
Katan, T., 980
Kaul, K., 120
Kawalek, M. D., 1001
Kawata, E. E., 913, 1036
Kawchuk, L. M., 1035
Kazimir, J. E., 228, 889
Kearney, C. M., 120, 1238
Keel, C., 1024
Keeling, B. L., 1004
Keen, N. T., 961, 983, 985
Keinath, A. P., 995
Kelemu, S., 983
Keller, N. P., 979, 1166
Kelley, V. C., 1020
Kelley, W. D., 1065
Kemp, M. L., 978
Kempf, H.-J., 969
Kenaf, nematodes parasitic on, host suitability, 436
Kendall, T. L., 1018, 1036
Kendig, S. R., 1029
Kennedy, B. W., 1031
Kennedy, H. E., 1064
Kentucky bluegrass, necrotic ringspot of, control in Colorado, 975
Kerr, A., 982
Khan, M., 1040, 1044
Khan, V. A., 1019, 1051
Kiernan, J. M., 983, 1018
Kim, C. K., 999
Kim, D. H., 435, 993, 1008
Kim, J. W., 1037
Kim, K. S., 134, 548, 1060, 1092
Kim, S. K., 1013
Kim, Y. H., 1012
Kimbrough, J. W., 993
Kimmons, C. A., 1060
Kinase, isolation by polymerase chain reaction, 993
King, B., 474
King, L., 992
King, R. R., 606
Kingsland, G. C., 433, 435
Kinkel, L. L., 1030
Kirby, H. W., 1004
Kirchoff, J., 514
Kirkpatrick, B. C., 277, 958, 959, 985, 1072
Kirkpatrick, T. L., 966, 970
Kistler, H. C., 980, 992, 993
Klecan, A. L., 325, 1050
Klein, R. E., 1021
Klein, T. A., 877
Kline, A. S., 1060
Klittich, C. J. R., 963
Kloepper, J., 972
Kloepper, J. W., 992
Klopfenstein, N. B., 976
Kluepfal, D. A., 1028, 1034, 1038, 1066
Knievel, D. P., 1003, 1300
Knoke, J. K., 291, 1021
Knudsen, G. R., 724, 1050, 1051
Knutson, J., 972
Ko, M. P., 1012
Ko, W. H., 1072, 1414
Kodama, M., 1003, 1067
Koeller, W. D., 1055
Koenraadt, H., 994
Koganezawa, H., 999
Köhl, J., 1049
Kohmoto, K., 1003, 1067, 1088
Kohn, L. M., 994
Kok, L. T., 1011
Kolb, F. L., 1048
Kolke, S. T., 890
Kollar, A., 233
Koller, B., 1009
Köller, W., 584, 1000, 1069
Kolmer, J. A., 1045, 1046, 1377
Kommedahl, T., 1024, 1061
Kontaxis, D. G., 1026
Korjagin, V. A., 123
Kornegay, J. L., 981, 1041
Kosinski, M. C., 1038
Kositratana, W., 892
Koski, R. D., 1072
Kosuge, T., 972
Kotcon, J. B., 1012
Kotze, J. M., 336
Kousik, C. S., 968, 1042
Kovacs, R. L., 989
Kramer, P. J., 989
Kraus, J., 1048
Krause, C. R., 764
Krebs, S. L., 1052
Kronland, W. C., 313
Kropp, B. R., 1312
Kruger, B. M., 120, 977
Krupinsky, J. M., 1045, 1064, 1066
Krusberg, L. R., 671
Kuć, J., 960, 1000, 1003, 1009, 1023, 1024, 1055, 1295
Kucharek, T. A., 436, 975
Kuhlman, E. G., 614
Kuhn, C. W., 451, 960
Kuhn, D. N., 602
Kumon, K., 636
Kunene, I. S., 1048
Kunimoto, R. K., 1072
Kuninaga, S., 1362
Kuo, T. T., 777
Kural, I., 1042
Kush, J. S., 1027
Kushalappa, A. C., 1233
Kuske, C. R., 958
Kuti, J. O., 1044
Kwon, Y. H., 1043

Labit, B., 963
Labonne, G., 256
Laby, R. J., 985, 1038
Laccaria spp., identification using rDNA polymorphism analysis, 1312
—*L. laccata*, on spruce, incompatibility alleles, 869
Lacy, M. L., 1045, 1203, 1387
Laemmlen, F. F., 890, 891
Laird, D. W., 147
Lakshman, O. K., 1019
Lamb, T. G., 1028
Lambert, D. H., 120, 121
LaMondia, J. A., 121
Lander, C., 437
Landschoot, P. J., 121, 122, 520
Lane, L. C., 987, 1022, 1034, 1401
Langenberg, W. G., 1018
Langenheim, J. H., 1259
Langham, M. A. C., 900, 1092
Langhans, R. H., 979
Lanter, J. M., 997
Larkin, R. P., 996
Larkins, B. A., 913, 1035, 1036
Laroche, J., 994
Larsen, R. C., 134
Lartey, R. T., 436
Lastra, R., 515
Latin, R. X., 1070
Laurence, J. A., 124, 211
Law, M. D., 1018
Lawrence, C. H., 606
Lawrence, D., 985
Lawrence, G. W., 436, 1043, 1047
Lawson, R. H., 158, 978, 1033
Lawton, M. B., 70, 121
Layton, A. C., 602
Lazarovits, G., 974, 1016
Lazzari, F. A., 1019
Leach, J. E., 982, 1023
Leandro, G., 515
Lease, R. J., 979
Leath, K. T., 122, 1003, 1247, 1300
Leath, S., 309, 433, 1013, 1154
Lecoq, H., 256
Lee, F. N., 1005, 1048
Lee, I.-M., 789, 946, 958, 959, 990
Lee, J. G., 981
Lee, R. C. R., 777
Lee, R. F., 224, 671, 692, 1001, 1033, 1059
Lee, Y. H., 966
Lee, Y. S., 121
Legard, D. E., 938, 982
Legendre, B. L., 1070
Leguizamón, J., 988
Lehman, J. S., 999
Lei, C.-H., 1035
Lei, H. C., 1036
Leiner, R. H., 930, 1008
Leisman, G. B., 960
Leite, B., 1042
Lemke, P. A., 980
Lenardon, S. L., 986
Lenné, J. M., 515, 516, 517, 728
Leonard, K. J., 309, 1154
Leonard, T. J., 1002
Leptographium spp.
—*L. procerum*, on white pine, transmission by weevil, 1065
—*L. wageneri*, heterosis and vegetative compatibility, 1460, (1462)
Leptosphaeria spp.
—*L. korrae*: identification with DNA probes, 979; on turfgrass, serological detection, 1208
—*L. maculans*: geographic isolates, spore release and variation, 1007; on rapeseed, sirodesmin production, 117
Leptosphaerulina spp., on alfalfa and white clover, epidemics, 1278
Leslie, J. F., 343, 963, 1042, 1043, 1055, 1057
Letters to editor
—resistance gene pyramids, durability, mechanisms, 221
—viruses, aphidborne, retention time, 769
Lettuce
—corky root of: *Glomus intraradices* relation, 1032; yield loss prediction factors, 989
—Sclerotinia drop, biological control, 1120
Leuchtmann, A., 1133
Leucocytospora spp., on *Prunus* and *Malus*, phenetic groups, 974
Leucostoma persoonii
—on peach, chemical applications and

wounds, lignin and suberin, 861
—vegetative compatibility, 287
Leung, H., 981, 982
Levy, M., 1015
Levy, Y., 968
Lewis, J. A., 992
Lewosz, J., 1054
L'Hostis, B., 120
Li, D., 1062
Li, R. H., 436
Li, X. H., 238
Liao, C.-H., 1038
Liddell, C. M., 988, 991
Lie, T.-A., 1066
Liebman, J. A., 1008
Lightfield, A. R., 872
Lim, S. M., 1044, 1073
Limpert, E., 1014
Lin, M. C., 777
Lin, N. S., 672, 824
Lin, S. M., 777
Linde, D. C., 141, 1057
Linderman, R. G., 1011, 1049
Lindgren, P. B., 1010
Lindow, S. E., 982, 1030, 1058
Line, R. F., 1007, 1057
Lineberger, R. D., 764
Ling, K. S., 983
Lipp, R. L., 886
Lipps, P. E., 967, 1031
Lister, R. M., 913, 1035, 1036, 1060
Littrell, R. H., 102
Liu, H.-Y., 866
Liu, Z. L., 1024, 1051, 1052
Livingston, D. P., III, 119, 121
Livingston, W. H., 121
Liyanage, H. D., 992
Lobinske, R. J., 1009
Lockaby, B. C., 1027
Locke, J. C., 672, 978, 1016
Lockhart, B. E. L., 127, 892, 981, 1022
Lockwood, J. L., 1028, 1059
Loebenstein, G., 78
Lommel, S. A., 1018, 1022, 1036, 1061
Long, D. L., 1046
Loper, J. E., 965, 982, 1001, 1048
Lorang, J. M., 961
Lorbeer, J. W., 1008
Loria, R., 121, 1027
Loschke, D. C., 196
Louie, R., 291, 1021
Lu, J. Y., 1019, 1051
Lucas, L. T., 979
Luhn, C. F., 893
Lukezic, F. L., 965, 1427
Lumsden, D., 1016
Lumsden, R. D., 461, 672
Lundquist, J. E., 857
Lupins, fungi from, in Minnesota, 1043
Luthe, D. S., 1071
Luvisi, D., 972
Lychnis ringspot virus, *Mentha* strain, properties, 1034
Lyngholm, L. K., 1056

Ma, S.-W., 982, 1016
MacDonald, J. D., 889, 1023, 1323
MacDonald, M. H., 1037
MacDonald, W. L., 670, 671, 976, 988
MacFall, J. S., 989
MacGuidwin, A. E., 482, 1012
MacGuidwin, D. I., 1077
MacHardy, W. E., 973
Maclean, D. J., 81
Mac Nish, G. C., 890, 1029
Macrophomina phaseolina
—on dry beans, pathogenicity, 513
—inhibition by *Fusarium solani*, 970
—organisms antagonistic to, 1050
—on *Salicornia*, in Mexico, 892
—sclerotia of, media for enumeration, 1060
—in soil, population density and soybean cultivar, 1029
—on sunflower, resistance characterization, 1040
Madariaga, R. B., 1006, 1046
Madden, L. V., 111, 291, 425, 590, 1022, 1031, 1115
Maddox, D. A., 1001
Madhosingh, C., 1047, 1057
Magill, C. W., 435, 992, 993, 1015, 1047
Magnaporthe spp.
—*M. grisea*: on *Eragrostis*, cytology and pathogenicity, 1382, (1384); on rice, inheritance of virulence in isolate cross, 108
—*M. poae*: on bluegrass, drought stress effect, 655; on bluegrass, temperature-soil water status interaction, 650; temperature-osmotic potential interaction, 646
Mahaffee, W. F., 436
Mahanti, N., 993
Mahmood, T., 1061
Mahoney, E. M., 990
Mahuku, G. S., 436
Maiero, M., 1365
Maixner, M., 986, 1013, 1022
Maize chlorotic dwarf virus
—on corn, spread by leafhopper vector, 291
—leafhopper transmission, factors, 986
—mild virus strain association, 687
—transmission, leafhopper probing patterns, 1021
Maize chlorotic mottle virus
—heavy metal effect, virion surface charge, 987
—outbreak in Hawaii, thrip association, 1060
—ultrastructure in corn leaves, maize dwarf mosaic virus comparison, 1034
Maize dwarf mosaic virus
—coat protein properties, KS1 strain, 907
—on corn, herbicide effect on, 1061
—onset in Ohio, 1021
—serological differentiation of strains, 986
—on sorghum, plant density effect, 433
—strain A, sorghum response, 436
Maize rayado fino virus
—characterization of RNA, 516
—detection with Dot hybridization assay, 516
Maize stripe virus
—on corn, in Costa Rica, 516
—geographical isolates, transmission efficiency, 1022
—identification, rapid, 715, (717)
Maize white line mosaic virus, satellite virus of, molecular cloning, 1035
Maize yellow stripe virus, leafhopper-borne, helical structures and filaments, 303, (303-306)
Majerczak, D. R., 985
Manandhar, J. B., 962
Mandelbaum, R., 794
Mangel, M., 1011, 1083
Manicom, B. Q., 336
Manion, P. D., 120, 977, 1014
Manji, B. T., 886, 890, 892, 1020
Mann, M. R., 890
Manning, W. J., 121
Manocha, M. S., 1010
Manohar, S. K., 812
Mansell, R., 298
Mansuetus, S. B., 1069
Manulis, S., 1374
Manuscript preparation, author's guide, 4
Marasas, W. F. O., 131
Marchetti, M. A., 1015
Marchi, A., 671
Margosan, D. A., 1052
Marigold, nematode of, cultivar response, 1012
Marlowe, J. L., 1049
Marois, J. J., 887, 973, 987, 1013
Martensen, A., 1004
Martin, F. A., 622
Martin, F. N., 980, 993, 996, 1030, 1063
Martin, R. R., 1035
Martinez, J. P., 965, 1368
Martinez-Espinoza, A. D., 1006, 1042
Martinson, C. A., 996, 1029, 1070
Martyn, R. D., 434, 435, 436, 437, 993, 1008
Mason, J., 437
Matejka, J. C., 891, 1014
Matheron, M. E., 891, 1014
Mathieson, J. T., 967
Mathre, D. E., 31, 886, 889
Matthews, S. W., 1068
Matuszak, J. M., 965, 1006
Maxwell, D. P., 983
Mayes, M. S., 672
Maynard, S. F., 121
Mazau, D., 163
Mazur, A. R., 435
Mazzola, M., 969
McAinsh, M. R., 1055
McBeath, J. H., 1000, 1019, 1070
McBlain, B. A., 968
McCain, A. H., 887, 977
McCain, J. W., 963, 1056
McCarter, S. M., 1368
McClelen, C. E., 979
McCluskey, K., 980
McCracken, F. I., 1047, 1064, 1065
McCreight, J. D., 439
McDermott, J. M., 1014
McDonald, B. A., 965, 1368
McEntee, J. P., 991
McEvoy, J. L., 984
McGrath, M. T., 677, 971
McGuire, R. G., 1037
McInnes, T. B., 437
McIntosh, M. S., 975
McKern, N. M., 907, 998
McKinney, J. D., 1045
McLaren, C. G., 943
McLaughlin, D. J., 963
McLaughlin, M. R., 268, 439, 1060
McLaughlin, R. J., 456, 1050
McLean, K. S., 436, 1043, 1047
McMillan, R. T., Jr., 515, 975, 992
McNabb, H. S., Jr., 976
McPherson, J., 1035
Meagher, M. D., 1065
Medalla, E. S., 999
Medicago spp. (see also Alfalfa)
—somatic hybridization in, calli characterization, 1053
—viruses of, resistance screening, 1028
Mehdizadegan, F., 1000, 1070
Melampsora medusae, on *Populus*, disease progress and defoliation, 998
Melcher, U., 436, 1034
Meldahl, R. S., 1027
Melgarejo, P., 494
Mellon, J. E., 1067
Meloidogyne spp., on bean, dominant gene for resistance, 745
—*M. arenaria*: DNA content in host cells affected by, 1391, (1393, 1394); nematode-specific acetylcholinesterase, 1024
—*M. chitwoodi*, on wheat, growth effect, 1006
—*M. hapla*: on alfalfa, *Phytophthora* relation in disease, 228; on potato, *Verticillium dahliae* combination, 482; on sainfoin, resistance, 889
—*M. incognita*: DNA content in host cells affected by, 1391, (1393, 1394); exudate proteins from, genes encoding, 1004;

secretory protein from, localization and purification using monoclonal antibody, 709, (711, 712); on tobacco, soil moisture effect, 988; on tomato and dry beans, yield reduction in Colombia, 1041; *Trichoderma* effect on reproduction, on *Trifolium*, 1046
Melon
—downy mildew, temperature-dependent resistance, 968
—Fusarium wilt, residue colonization, 381
Melouk, H. A., 437, 1015
Mendoza, A., 982
Meneses, R., 515
Menge, J. A., 974, 981, 1009
Mengistu, A., 1007
Merida, C. L., 1027
Meronuck, R. A., 1019, 1043
Merrill, W., 121
Metzler, M. C., 1058
Mew, T. W., 982, 999, 1001, 1011
Meyer, F. W., 123
Michailides, T. J., 174, 973, 1071
Mielke, M. E., 977, 1064
Mikel, S. G., 121
Mikkelsen, J. D., 1073
Miklasz, S. D., 377
Milgroom, M. G., 410, 988, 1190
Milholland, R. D., 61, 66, 736
Miller, C. E., 1030
Miller, F. R., 433
Miller, J. B., 1064
Miller, J. F., 1005
Miller, M. E., 434, 437, 1026
Miller, R. V., 991
Miller, S. A., 962
Miller, W. A., 1032
Mills, D., 367, 980, 1057, 1062
Mills, F. D., 989
Milus, E. A., 966, 975
Minsavage, G. V., 719, 981
Mintz, A. S., 1011
Mircetich, S. M., 887, 891
Mirocha, C. J., 963, 1002, 1004, 1019, 1052
Misaghi, I. J., 808, 1015
Mitchell, D. J., 971, 1439, 1447
Mitchell, J. K., 437
Miyazawa, M., 1053
Mo, Y.-Y., 1038
Model
—Cercospora blight on carrot, infection, 1233
—cohorts of lesions on leaves, expansion, 996
—early blight of potato, disease progress and plant growth, 416
—epimodel, teaching for population growth and analysis, 1031
—lodgepole pine-western gall rust pathosystem, 1269
—pest risk assessment, inductive-reasoning expert system, 1030
—potato early and late blight, spray schedule, 772
—potato yield loss assessment, 466
—rate expansion in mixtures of hosts, 598
—soybean rust epidemics, 1421
—stochastic, fungicide resistance determination, 410
Moesziomyces penicillariae
—pathogenicity, quantitative genetic analysis, 1173
—pathogenicity and virulence, 439
Mogen, B. D., 90, 1037
Mohan, S. K., 891
Mojdehi, H., 437, 1029
Molhoek, W. M. L., 1049
Moline, H. E., 672, 974
Mollicutes, pathogenic, host induction response, survey, 1072
Momol, E. A., 980, 993
Monilinia spp.
—*M. fructicola*, on French prune, infections, 890
—*M. laxa*, conidial production, induced by acetone, 494
Moniliophthora roreri, on cacao, conidial germination, 513, 514
Monis, J., 441, 446
Monoclonal antibodies
—barley yellow dwarf virus, detection application, 377
—citrus tristeza virus, strain discrimination, 224
—grapevine leafroll disease characterized by, 920
—*Leptosphaeria korrae*, serological detection, 1208
—*Meloidogyne incognita*, secretory protein localized using, 709, (711, 712)
—tomato spotted wilt virus study, 158
Monolinia fructicola, conidia, heat treatment effect, 1052
Moore, L. W., 1001
Moore, W. F., 1039
Moorman, G. W., 123, 124, 979, 1041
Moraes, W. B. C., 1049
Morales, F., 96, 559, 983
Morelock, T. E., 1014, 1026
Moreno, G., 1000
Moreno, P., 477, 692
Morgan, D. P., 973, 1071
Morgham, A. T., 756
Morris, T. J., 282
Morris, V. L., 982
Mösinger, E., 1067
Motes, J. E., 1103
Moyer, B. G., 1427
Moyer, J. W., 1017, 1018, 1022
Mucor piriformis, on peach, survival in endocarps, 174, (178-180)
Mueller, G. M., 1312
Mueller, W. C., 756
Mughogho, L. K., 812
Muimba-Kankolongo, A., 122, 1005, 1069
Muldoon, A. E., 1083, 1011
Mullen, J. M., 962
Muller, M., 1009
Mullin, B. A., 981, 1041
Mulrooney, R. P., 1021
Munagala, R., 1050
Mundt, C. C., 221, 988
Muniyappa, V., 670
Munkvold, G., 973
Muñoz, N., 477
Murakishi, H. H., 966
Murata, H., 984, 1037
Murphy, J. F., 377, 1033
Murray, T. D., 891, 1041, 1108
Murry, M., 960
Muskmelon
—Alternaria leaf blight, resistance inheritance, 439
—Fusarium wilt, resistance genetics of three races, 1230
—Fusarium wilt and Fusarium crown and foot rot, resistance, 434
—root rot pathogens of, fumigant effect, 437
Muthukrishnan, S., 1055
Mycena citricolor, on coffee, variability in Costa Rica, 517
Mycoplasmalike organisms
—aster yellows, tomato big bud, beet and clover, 958
—chromosomes from, size estimation, 959
—detection by immunology, tissue blotting on nitrocellulose membrane, 824, (826, 827)
—detection by polymerase chain reaction, 959
—hybridoma antibody reaction, antigen detection, 946
—little leaf disease on periwinkle, detection, molecular cloning, 789
—proliferation and virus effect, DNA isolation, 233
—witches'-broom disease association, on periwinkle, detection, 1476
Mycorrhizae
—streptomycete, mycorrhizoplane and ectomycorrhizal comparison, 1032
—vegetation enhancement in dredged material sites, 437
—vesicular arbuscular, on barley, temperature effect, 889
Mycosphaerella spp., on wheat stubble, comparison, 1046
—*M. fijiensis*, growth and sporulation, 987
—*M. graminicola*: ascospore release, on wheat stubble, phenology, 1006; DNA polymorphisms in, genetic variation, 1368
—*M. laricina*, on larch, resistance screening, 1065
Mycotoxin (see also Toxin)
—aflatoxin, in ear rot of corn, 1283
—cercosporin, derivatives and cell surface redox potential, 960
—deoxynivalenol, from *Fusarium* in wheat, 566
—fumonisin, from corn, in feed and corn samples, 1052
—fumonisin B, effect on maize callus, 1010
—fumonisins B_1 and B_2, *Alternaria*, in cell culture, 1052
—fusarochromanone, from *Fusarium equiseti*, biosynthesis of derivatives, 1019
—naphthazarin, in *Fusarium solani*, immunoassay, 298
—T-toxin, *Cochliobolus heterostrophus*, genetics, 819
—victorin, polyclonal antibodies of, characterization, 961
Myers, L. D., 1033
Myrold, D. D., 698

Nabben-Schindler, D. J., 1009
Nagahashi, G., 1038
Nagata, R. T., 1032
Naidoo, G., 1015
Nakaoka, H., 1053
Nakatsuka, S., 1003, 1067
Namba, S., 920, 969, 983, 1022
Nameth, S. T., 357, 1208
Nash, B. L., 124
Natwick, E. T., 891
Nault, L. R., 687, 986, 1021
Navarre, D. A., 1055
Neal, B. G., 272
Nebeker, T. E., 1047, 1064, 1065
Nectria spp.
—*N. coccinea*, on beech, DNA restriction fragment analysis of, 990
—*N. haematococca*: mating population, spore attachment and virulence, 968; on pea, perithecial production, 1044
—*N. rugulosa*, on macadamia, quick decline, 1072
Neher, D. A., 277, 1025
Neimark, H., 959
Nelson, B. D., 1042
Nelson, D. A., 1060
Nelson, E. B., 122, 1069
Nelson, P. E., 120, 122, 343, 741
Nelson, R., 981, 982, 1037
Nelson, R. S., 1017, 1035
Nelson, S. C., 997
Nematodes, guanidine hydrochloride as soil amendment for control, 1012
Nemec, S., 298, 1053
Nephotettix virescens
—on rice, cultivar resistance, 659

—tungro virus vector, 371
Nesmith, W. C., 437
Neurospora crassa, mating type genes, sequence homology, 1043
Nevill, R. J., 1065
Newcombe, G., 509
Newhouse, J. R., 670, 980
Ng, T. J, 1365
Ngoko, Z., 1069
Nguyen, P. B., 1069
Nicholson, A. G., 466
Nicholson, R. L., 1042
Nicot, P. C., 1063
Nida, D. L., 437
Nielsen, K. K., 1073
Niessen, A., 96
Niks, R. E., 57
Nishijima, K. A., 891
Nishimura, S., 1088
Noel, G. R., 503, 1047
Norman, B. L., 1024
Norman, D., 1058
Notteghem, J.-L., 999
Novacky, A., 1003, 1032
Nowak, J., 1016
Nus, A., 979
Nuss, D. L., 950, 993, 1035, 1062
Nutter, F. W., Jr., 102, 451, 989, 1031
Nydegger, U., 1002

Oak
—decline: nematode association, 1047; sites in Mississippi River drainage system, 1064; in Tennessee-Tombigbee River basin, characterization, 1065
—wilt of, propiconazole for, 976
Obituaries
—Clyde C. Allison, 1267
—Robert Gordon Henderson, 317
—James B. Kendrick, Jr., 675
—A. Frank Ross, 315
—E. G. Sharvell, 1141
—Arden Frederick Sherf, 316
—Edward K. Sobers, 676
—Edward Kemp Vaughan, 597
—Raymon E. Webb, 519
—Willard K. Wynn, Jr., 1268
O'Brien, R. D., 891, 989
Ocamb, C. M., 1024
Ocumpaugh, W. R., 1028
Odvody, G. N., 1027, 1045, 1048, 1060, 1069
Ogawa, J. M., 749, 886, 890, 892, 1020
Ogle, H. J., 837
Ogoshi, A., 784
Okamoto, D., 381
Olanya, O. M., 1013, 1278, 1341
Olaya H., G., 515
Oleson, A. E., 90
Oliveira, M. L., 981
Olsen, M. W., 1015
Olson, H. R., 90
Omwega, C. O., 745
Onion
—*Alternaria porri* on, factors affecting conidial formation and infection, 1203, (1206), 1387
—leaf blight and bulb rot, bacterial association, 1026
—microorganisms in bulbs of, temperature effect, 517
—purple blotch and thrips, yield effect, 1026
Onofriechuk, E. E., 992, 1050
Onyike, N. B., 122
Ooka, J. J., 892, 1022
Ophel, K. M., 982
Ophiostoma ulmi, mansonone tolerance and virulence association, 968
Opperman, C. H., 1024
Orange, *Penicillium italicum* on, polygalacturonases, 1374
Orlandi, E. W., 1054
Ornamentals, viruses of, identification in Canada, 986
Orozco, L., 988
Orser, C. S., 1059
Osborne, L. S., 895
Osborne, W. W., 122
Ostry, M. E., 1065
Osuji, G., 1015
Otani, H., 1003, 1067, 1088
Otrosina, W. J., 990
Ouimette, D. G., 975
Owens, R. A., 1048
Ownley, B. H., 995
Ozone (see also Air pollution)
—monitoring program, in New England, 121
—tree species response, dosage, 991

Pachysandra terminalis, disease resistance, growing conditions and wound repair, 272
Pacumbaba, R. P., 1039
Padgett, G. B., 451, 1014
Paduch-Cichal, E. M., 124
Paetschow, S. M., 1032, 1059
Paguio, O. R., 709
Paiva, N. L., 959
Palm, M. E., 1071
Palmer, C. L., 979
Palukaitis, P., 969, 1017, 1035
Pan, S. Q., 1023, 1024, 1055, 1295
Panaccione, D. G., 1009
Papavizas, G. C., 627, 994, 995
Papaya, *Phytophthora palmivora* on, biocontrol, 891
Papaya ringspot virus
—coat protein gene, protection, 983
—strains of, serology and biological variability, 256
—type W, cylindrical inclusions, monoclonal antibody, 1033
Pareja, M., 515
Parent, S., 1008
Park, E. W., 1012
Parke, J. L., 995, 996, 1307
Parry, D. W., 1005
Parsons, A., 1009
Partridge, J. E., 1004, 1042
Pascholati, S. F., 1049
Pascual, S., 494
Pastor, M. A., 513
Pastor-Corrales, M. A., 513, 515, 981, 1041
Pataky, J. K., 487, 1044, 1063, 1070
Patel, M. V., 1039
Paterson, J. M., 984
Pathipanawat, W., 1028
Patil, S. S., 1007
Patterson, C. L., 438, 988
Pattison, A. B., 877
Paul, N. D., 1055
Paulitz, T. C., 994
Paulus, A. O., 890
Pawlosky, R. J., 1019
Pea
—*Fusarium oxysporum* of, resistance genes, 1056
—Fusarium wilt of, histopathology and ultrastructure, 756, (757-762)
—gene 49 product accumulation, effect, 1056
—nodulation in, temperature relation, 1066
—resistance response genes, psoralen compounds for, 1009
—root rot and damping-off, biocontrol, 996
Pea enation mosaic virus, genomic relations with luteoviruses, 968
Pea mosaic virus, bean yellow mosaic virus in mixture, 268
Peach
—brown rot blossom blight and fruit rot, wetness effect, 886
—canker, chemical application and lignin and suberin relation, 861
—*Criconemella xenoplax* on, fungicides for, 1142
—injury reduced by heat treatment, 890
—*Mucor* survival in fruit endocarps of, 174, (178-180)
—western X-disease of, graft transmission, 893
Peanut
—*Aspergillus* on cotyledons, polypeptide mapping, 1432
—Cercospora leafspot, pathogen growth response model, fungicides, 670
—chlorothalonil residue effect, 1041
—Cylindrocladium black rot, spatial pattern in field evaluation, 1395
—diniconizole for disease control, 975
—foliar disease complex, resistance, statistics, 1451
—*Glomus* and *Meloidogyne* interaction, growth effect, 1012
—late leaf spot of: control factors, 989; fungicides for, radiometer application, 102
—*Phanerochaete* association in Texas, 438
—pod rot of, calcium sulfate effect, 1040
—southern stem rot, chlorpyrifos for, 436
—stem rot, resistance, 999
—transformation system for, 1022
—web blotch of, epidemiology in New Mexico, 988
Peanut chlorotic streak virus
—DNA sequence, 1018
—transformation with gene I, 983
Pear
—blue mold and gray mold, biocontrol in storage, 671
—postharvest decay, wounds as infection courts, 1002
Pearson, C. A. S., 343
Pearson, R. C., 119, 393, 969, 970, 1013, 1198
Pecan, scab of, phenolic relation, 147
Pedersen, C. T., 1008
Pedersen, J. R., 1003
Pedersen, W. L., 1029, 1041, 1059
Pell, E. J., 1003, 1300
Pelletier, J. R., 361
Pelosi, R. R., 986
Pemberton, I. J., 438
Peng, M., 1003
Peng, Y., 1016
Penicillium spp.
—*P. aurantiogriseum*, on apple, MBC sensitivity, 123
—*P. expansum*, on apple, postharvest biocontrol, 456
—*P. italicum*, on orange, polygalacturonases, 1374
Penix, S. E., 1005
Pennisetum glaucum, smut of, genetic analysis, 1173
Pennypacker, B. W., 122, 1003, 1247, 1300
Pennypacker, S. P., 677, 979
Pepper (see also *Capsicum annuum*)
—Phytophthora blight, control with metalaxyl and drip irrigation, 120
Pepper mild mottle virus, on greenhouse peppers, 892
Perdomo, F., 513, 1050
Pereira, R., 516
Peridermium harknessii, genetic-geographic variation, in north-central USA, 857
Perkowski, J., 566
Permar, T. A., 224, 1034
Peronosclerospora spp., differentiation, detection with DNA fragments, 1047
—*P. sorghi*, host range in Nigeria, 1013
Peronospora tabacina, on tobacco, systemic resistance factors, 1295
Perring, T. M., 850, 1021

Perry, K., 1352
Peruzzotti, G. P., 992
Pestalotia subcuticularis, on *Hymenaea courbaril*, infection process, 1259, (1261-1263)
Pesticides (see also Fungicides)
—cancellation of, economic impact, 976
—residues of, human health risk, 975
Petersen, F. P., 962
Petersen, M. A., 436
Peterson, C. A., 861
Peterson, G. L., 670, 974
Peterson, J. F., 986
Peterson, J. L., 118, 122
Peterson, R. F., 1052
Petrunak, D. M., 672, 1034
Pettit, R. E., 960, 1015, 1032, 1432
Pettitt, A. N., 1147
Pezicula malicorticis, on apple fruit, overwinter survival, 889
Pfender, W. F., 992, 1030, 1177
Pfister, S. E., 122
Phakopsora pachyrhizi, on soybean
—epidemic analysis, quantification, 1421
—yield components, 1013
Phaseolus vulgaris
—crop residue of, *Pseudomonas syringae* recovered from, pathogenicity, 938
—hydrogen fluoride effect, blight and fluoride accumulation, 211
—root-knot of, dominant gene for resistance, 745
—root-knot nematodes, species in Colombia and Peru, 981
—rust of: isozymes and virulence diversity patterns, 141; resistance in plant introduction collection, 672; spore dispersal gradients, 1469
—rust resistance of, genetics, 1056
Phatak, S. C., 1010
Phellinus weirii, in Douglas-fir, stand condition effect in plantations, 553
Phelps, D. C., 298
Phialophora spp., anamorphs of, on turfgrass, pathogenicity, 520
Phillips, D. J., 890, 1052
Phillips, D. V., 438, 1039
Phillips, R., 1011, 1083
Phillips, W., 516
Phipps, P. M., 670
Phoenix sp., decay by basidiomycetes, 886
Phoma spp.
—*P. medicaginis*, isolate variation, 888
—*P. terrestris*, differential medium for quantification, in soil, 1008
Phomopsis spp.
—*P. leptostromiformis*: on lupin, field resistance, 1000; on lupin, latent infection structures, 1039
—*P. longicolla*: on soybean, serodiagnosis, 962; on soybean, toxicity of filtrates, 1052
—*P. vaccinii*, on blueberry, histopathology, 736, (737-739)
Phymatotrichum omnivorum, on cotton, resistance genetics, 965
Phytoalexin
—*Arabidopsis* leaves, bacterial inoculation, 1054
—medicarpin, on white clover, 1427
—reductase relation, molecular cloning, 959
—in soybean, oligogalacturonide effect, 1054
Phytolacca americana, antiviral protein conjugation, with tobacco mosaic virus and tobacco cells, 636
Phytophthora spp.: in cranberry field soils, detection, 1025; detection by monoclonal antibody immunoassay, 962; immunoassay kits, use in clinic, 962; from *Theobroma* and *Citrus*, isolation, 981; worldwide collections, ELISA immunoassay kits, 1048
—*P. arecae*, on citrus, pathogenesis in Florida, 1025
—*P. cactorum*: on apple, biocontrol, 880; oospore germination, amino acid effect, 1055
—*P. capsici*: oospore germination, 1029; on pepper, isolate variation, 1253; on pepper, path coefficient analysis, 1439; on pepper, resistance, 1069; on pepper, soil matric potential, 1025; on pepper, soil-water matric potential effect, 1447
—*P. cinnamomi*: on azalea, detection with ELISA, 1047; on cranberry roots, histopathology, 118; on oak, oxygen stress effect, 889; on pine callus, cell response, 1347, (1349, 1350); sporangial production, factors, 439; suppression by organisms in compost, 1049; survival in water, South Africa, 987
—*P. infestans*: A^2 mating type, in USA and Canada, 670; DNA content, mating type, and metalaxyl sensitivity, 123; DNA fingerprinting, 1006; genetic diversity, DNA fingerprints, in Mexico, 965; germination and infectivity, fatty acid effect, 1067; mating, type, DNA content, and isozyme composition, 124; ploidy of, variation in Mexico, 1006; populations in Europe, North America, and Japan, genetics, 1006; on potato, control model, 772; on potato, metalaxyl resistance, factor quantification, 1190; on potato, metalaxyl resistance, fitness, 200; on potato, yield loss assessment model, 466; sequence homology detection, 980
—*P. megasperma*: on alfalfa, *Aphanomyces euteiches* comparison, 331; on alfalfa, nematode relation in root infection, 228; on flowering dogwood, canker, 671; on soybean, heterokaryon formation, 602; on soybean, incompatible interaction, 1068; on soybean, yield loss prediction, 962; virulence, genetic analysis, 968
—*P. palmivora*, zoospore production, temperature effect, 516
—*P. parasitica*: antibiotic and fungicide resistance, genetics of, 1414; in azalea cuttings, detection methods, 962; on periwinkle, fungicides for, 975; on soil and host tissue, detection using DNA probe, 277; on tomato, sodium:calcium ratio, zoospore effect, 1323; zoospores of, movement in container media, 1025
—*P. vignae*: on cowpea, suppression by bacteria, 1011; inhibition by bacteria, 1049
Pickett, L. S., 1028
Pijut, P. M., 764, 1065
Pilgeram, A. L., 1046, 1124
Pine
—brown spot needle blight, symptoms, 124
—containerized, ethephon and drought effect, 121
—fusiform rust of, single or multiline families, 976
—loblolly: fusiform rust on, virulence, 614; water content of sand medium, magnetic resonance imaging, 989
—mycorrhizoplane streptomyces on, *Armillaria* inhibited by, 1059
—*Phytophthora cinnamomi* on callus of, cell response, 1347, (1349, 1350)
—radiata, Dothistroma needle blight, disease loss reduction, 1007
—slash, fusiform gall, histology, 251, (253, 254)
—western gall rust: genetic-geographic variation in North Central USA, 857; pathosystem model, 1269
—white, blister rust and plant performance, 1065
Pinkerton, J. A., 1014
Pinkerton, J. N., 970, 1031
Pinnschmidt, H., 997
Pinus taeda, ectomycorrhizae of, ozone and acid rain effect, 1027
Piptocephalis virginiana, recognition mechanism, in parasitism, 1010
Pirone, T. P., 969, 1018, 1036
Pisolithus tinctorius, relatedness studies in North America, Asia, and Europe, 1032
Pistachio, stigmatomycosis disease, etiology in California, 973
Pitrat, M., 256
Plasencia, J., 1004, 1019
Plasmopara spp.
—*P. halstedii*: races of, naming system, 1005; on sunflower, virus-like particles in, 1032
—*P. lactucae-radicis*, on lettuce, resistance mechanism, 966
Plumley, K. A., 122
Poa spp. (see also Bluegrass, Turfgrass)
—summer patch, temperature-soil water status interaction, 650
Pocard, J.-A., 1009
Podleckis, E. V., 1048
Podosphaera leucotricha, cleistothecia survival in winter, 889
Polek, M., 971
Polston, J. E., 850, 1021
Ponnampalam, R., 1020
Pope, D. D., 966, 994
Pope, L. R., 1212
Popham, P. L., 1003, 1032
Poplar
—hybrid, crown gall of, susceptibility to, 1099, (1100)
—pest resistance, *Agrobacterium* mediated transformation, 976
—Septoria canker, ozone effect, 124
—tissue culture plantlets, *Hypoxylon* resistance, 977
Poplawsky, A. R., 972
Porter, L. L., 122, 1013
Postharvest pathology
—apple gray mold, biocontrol, 526
—fruit rots, ultraviolet light effect, 1051
—fruits and vegetables, biocontrol using yeast, 1020
—*Mucor piriformis* on peach fruit endocarps, survival, 174
—resistance induced by ultraviolet light, mechanisms, 1019
Postman, J. D., 1060
Potato
—*Alternaria* spp. on, isozyme analysis, 672
—aerial stem rot of, epidemiological factors, 350
—black dot of, seed piece treatments for, 125
—common scab of, induced by vivotoxin, 606, (607)
—early blight: disease progress model, growth model, 416; resistance characterization, 361
—early dying: environmental factors and yield effect, 425; factors, 971; nematode role, 1077
—early and late blight of, control model, 772
—*Erwinia* inoculation of, tissue culture, 1071
—*Fusarium* resistance, induced by *Cladosporium*, 1054
—late blight: defoliation, yield effect, 119; metalaxyl resistance and factors, 1190; metalaxyl-resistant isolates, fitness of, 200; model, stochastic dominance, 997
—*Meloidogyne hapla* on, *Verticillium dahliae* combination, effects on disease, 482
—phytoalexins, DNA sequences, 1010
—*Phytophthora infestans* on, leaf protoplast

effect on cystospores, 673
—*Pseudomonas syringae* strains on, spatial distribution, 1030
—*Rhizoctonia* spp. on, temperature effect, 930, 1008
—scab of, streptomycetes taxonomy, 120
—seedpiece decay, planting environment, 1063
—soft rot, detection with DNA probe, 665
—squalene synthetase activity in tubers of, sesquiterpenoid cyclase, 1009
—tissue culture, growth medium effect on *Erwinia*, 1071
—yield loss assessment, model for, 466
Potato leaf roll virus, coat protein gene
—transgenic potato, 1035
—genomic position, 609
Potato spindle tuber viroid
—cross protection in solanaceous hosts, 246
—deletion mutant of, characterization, 1019
—persistence in potato seeds, 998
Potato virus S
—complementary DNA, molecular cloning and mapping, 446
—RNA, translation studies, 441
Potato virus X, DNA clone of, 1073
Potato virus Y
—coat protein and chloroplast association, 987
—helper component preparations, characterization, 1018
Potato yellow dwarf virus, serological identity, 777
Poulos, B. T., 887
Powell, C. A., 119, 986
Powelson, M. L., 350, 971
Prange, V. J., 996
Pratt, R. G., 1028
Pratylenchus penetrans
—egg and adult numbers, method for obtaining, 1012
—on potato, role in early dying, 1077
Prestes, A. M., 967
Pretorius, Z. A., 579
Price, H. J., 1391
Proctor, R. H., 968
Proffer, T., 287, 974
Provvidenti, R., 120
Prunus necrotic ringspot virus, on peach, relation to Cytospora canker, 119
Pscheidt, J. W., 962, 1031, 1043, 1048
Pscheidt, L., 1011
Pseudocercosporella herpotrichoides
—benzimidazole resistance in, 1041
—on wheat, isolate characteristics, 891
Pseudomonas spp.: biocontrol potential on cotton diseases, 434; on celery, biocontrol, 206; plasmid vectors, host-range cosmid, 1037; in soil, phenazine biosynthesis and survival, 969
—*P. aureofaciens*, genetically engineered, in corn rhizosphere, 1028
—*P. cepacia*: ammonia produced by, seed effect, 1048; population dynamics on pea seed, *Pythium* biocontrol, 1307
—*P. cichorii*, on *Calathea picturata*, leaf spot, 124
—*P. corrugata*, on white clover, phytoalexin biosynthesis, 1427
—*P. fluorescens*: antibiotic mutants, biocontrol of take-all, 1016; take-all suppressed by, soil factors, 995; toxic metabolites from, biocontrol agent, 1024; on wheat, leaf colonization, 966
—*P. savastanoi*, survival in plants, IAA effect, 972
—*P. solanacearum*: biovars of, characterization by protein patterns, 641; callus and cell culture response, 892; endopolygalacturonase production, locus, 982; EPS production and virulence, gene cluster, 984; mass screening technique for resistance, 1002; mutant, extracellular polysaccharide production by, 1038; pectinolytic enzyme production, factors, 1054; race 3, characterization and identification, 1047; strains of, restriction fragment length polymorphism, 1071; on tomato, amendment effect on population, 1002
—*P. syringae*: on bean, recovery from weed phylloplane and crop residues, 938; on bean, RFLP in strains of, 982; on celery, in California, 890; copper resistance operon of, membrane and proteins, 985; coronatine synthesis, cloned plasmid, 982; coronatine synthesis genes in pathovars of, mutagenesis, 1038; differentiation using DNA probe, 984; *hrp* cluster in, avirulence function, 961; Hrp mutants of, transcription genes and inoculation effects, 1010; ice nucleation-active, dispersal, role of rain, 934; on leaves, survival, 1058; locus for lesion formation, molecular analysis, 984; oxygen induced in cell culture, 1054; pathovar distinction using RPLF analysis, 972; phaseolotoxin mutants suppressed by, characterization, 1007; in phylloplane, population sampling and design, 1030; plasmid pAc002, cloned *cor* region, characterization, 982; proteins exported from, tagging of genes, 984; siderophore genes from, transcription, 982; strains of, copper accumulation and resistance, 887; syringomycin production, plant signals, 1038; transposable element of, 1057
—*P. viridiflava*: on pepper, hypersensitivity and molecular characterization, 1038; plasmid-carrying strain, pectinase gene and molecular cloning, 1038
Pu, X., 964
Puccinia spp.
—*P. arachidis*, on peanut, resistance, statistical procedures, 1451
—*P. asparagi*, on asparagus, rust development on cultivars, 321
—*P. carduroum*, on musk thistle, in Virginia, 1011
—*P. coronata*: on oat, virus effect, 1041; virulence and race frequencies in Canada, 1045
—*P. graminis*: ultrastructural karyotype, 963; on wheat, physiology of flag leaf alteration, 677; on wheat, protoplast preparation and regeneration, 81, (82, 83); on wheat, resistance gene pyramids, 221
—*P. grindeliae*, on broom snakeweed, in New Mexico, 991
—*P. hordei*, germ tube length effect, in barley, 57
—*P. jaceae*, on purple starthistle, biocontrol, 1049
—*P. punctiformis*: on Canada thistle, aroma emission, 1053; on Canada thistle, infection induced, systemic, 872, (873, 874)
—*P. recondita*: populations in Canada, evolution, 1046; on wheat, cultivar adaptation by selection, 999; on wheat, epidemic characterization in Louisiana, 402; on wheat, leaf pubescence effect, 1046; on wheat, phenotype selection, 1377; on wheat, physiological alteration in flag leaves, 677; on wheat, resistance gene expression, 579
—*P. sorghi*: on corn, resistance erosion during selection, 339; on sweet corn, crop loss and action threshold, 846; on sweet corn, incidence-severity relations, 842
—*P. striiformis*: on wheat, development in cultivar mixtures, model, 598; on wheat, environmental factors, 988; on wheat, resistance genes, 1007
Pueraria phaseoloides, mycorrhizal fungi for, acid soil effect, 1031
Pullen, M. P., 1142
Punja, Z. K., 1027
Purcifull, D. E., 987, 1033
Purdy, L. H., 514
Pyrenophora tritici-repentis
—ascocarp production by, in wheat straw, wetting effect, 1030
—on barley, aggressiveness, 1045
—toxin production and regulation, 433
—on wheat: interaction with biocontrol agent in straw, 992; population variation and virulence, in New York, 84; seed transmission, 123; tillage effect on spatial pattern, 804
—on wheat leaves, *Septoria* competitive with, de Wit replacement series, 1177
Pyricularia oryzae
—conidia, antigen association and monoclonal antibodies, 1048
—variation, mechanism, 992
Pythium spp.: on alfalfa roots, moisture relation, 1317, (1318); circular plasmids in, characterization, 980; flood and drain subirrigation system effect, 123; pea seed, biocontrol by pseudomonad, 1307; probes specific for species, 1063; ribosomal DNA of, variation and isozyme analysis, 964
—*P. aphanidermatum*: aerial transmission by flies, 889; in compost-amended container media, nutrient effect, 794, (801); ecology with *P. ultimum*, pH effect, 1030; ingestion-egestion, aerial transmission, shore flies, 1244, (1245, 1246); metalaxyl resistance, stability, 119
—*P. arrhenomanes*, on wheat, toxic metabolites and host reaction, 1029
—*P. nunn*, biocontrol agent for *Phytophthora* on azalea and orange, 888
—*P. ultimum*: on cucumber, rhizobacteria as biocontrol, 1050; monoclonal antibodies specific to, 962; oospores, matric potential effect, 1357; on poinsettia, suppressiveness of peat to, 970; *Pseudomonas* interaction, stimulation by seeds, 994; sporangia and mycelium of, *Gliocladium* effect on, 461; toxic metabolites from, role, 118

Qian, P., 1357
Qiu, S. G., 969
Qin, S.-W., 1053
Qiu, Z., 1027
Quimby, P. C., Jr., 925
Quiot, J. B., 256
Quiot-Douine, L., 256
Quisenberry, S. S., 1039
Quitugua, R. J., 1063

Raabe, R. D., 892
Rabbinge, R., 1016
Rabe, J., 992
Raccah, B., 969
Radice, A. D., 1007
Radley, R., 1065
Rae, B. P., 1062
Raese, J. T., 1050
Raid, R. N., 1027
Ram, A., 513
Ramírez, B., 96
Ramírez, C., 514
Ramírez, J., 516
Ramírez, P., 516
Rane, K. K., 1070
Rao, G., 1053
Rao, N., 1010
Rappaport, L., 958

Rasmussen, S. L., 892, 966
Raspberry, survival during thermotherapy, factors, 1060
Rathier, T. M., 121
Ravillion, B., 503
Rawn, C. D., 964
Raymer, P. L., 1039
Raymond, L. N., 1048
Red clover necrotic mosaic virus
—polymerase detection using immunology, ribosomal frameshifting, 1018
—synthesis of transcripts, 1036
Reddick, B. B., 435, 1052, 1060
Reddy, D. V. R., 1018
Reddy, M. S., 992
Redlin, S. C., 1066
Redman, R. S., 1062
Reed, B. M., 1060
Rehm, G., 1040
Reid, R. K., 1065
Reilly, M. P., 671
Reimers, P. J., 1023
Remmers, J. C., 1027, 1045, 1060
Rempel, C. B., 961
Resistance
—asparagus to rust, slow rusting, 321
—bean to root-knot nematode, single gene, 745
—corn to leaf rust, erosion during trait selection, 339
—corn to leaf spot, races 1 and 2, 1221
—corn to northern leaf blight, race 3, 309
—Fusarium root rot of tomato, mechanisms, 163
—grapevine to *Xylella fastidiosa*, 61
—muskmelon to Fusarium wilt, three races, 1230
—peanut to: Cylindrocladium black rot, 1395; foliar disease complex, 1451
—pepper to tobacco etch virus, epidemic rate, 451
—potato to early blight, 361
—rice to tungro disease, vector relations, 371
—*Stylosanthes* to anthracnose, quantitative, 1147
—sugarcane to smut, heritability and repeatability, 622
—tobacco to blue mold and virus, 1295
—tomato to collar rot, lines, 1365
—wheat to leaf rust, cultivar mixtures, model, 598
Reviewer acknowledgment, 1
Reynolds, K. L., 211
Rezabek, C. L., 1064
Rezende, J. A. M., 986
Rheeder, J. P., 131
Rhizobacteria
—biocontrol potential, mobility correlation, 1015
—emergence-promoting, development in corn, 992
—growth-promoting, dual cultures, 1016
Rhizobium leguminosarum, salt stress effect, calcium chloride role, 1057
Rhizoctonia spp.: anastomosis grouping of, use in biocontrol in sugar beet, 963; on barley and wheat, anastomosis groups in root rot, 784; binucleate, anastomosis group characterization, RNA genes for analysis, 1008; binucleate, survival in soil and bean stems, 1028; isozyme variation in species of, 515
—*R. solani*: anastomosis group 2-2, dsDNA plasmid characterization, 118; anastomosis group 9, DNA hybridization, 1362; anastomosis groups, sclerotial development in, 1042; anastomosis and nuclear condition, 313; on bentgrass, factors affecting, 122; on cereals, pectic zymogram characterization, in Australia, 1029; characterization by chromatography of fatty acids, 960; coding regions, heterogeneity, 1007; cryogenic preservation, 1042; dsRNA from, genetic diversity, 631; on marigold, recolonization in soil, 992; on ornamental plants, in Florida, characterization, 434; pathogenicity to bean, 970; on potato, isozymes in anastomosis groups, 994; on potato, temperature effect on virulence, 930; ribosomal DNA, 151; on rice, sclerotial density and blight incidence, 1039; on snapbean, biocontrol and chemical control, 992; in soil, bioassay, 514; on soybean, aerial blight factors, 497; on soybean, epidemic analysis in Louisiana, 386; on soybean, infection cushion development factors, 968; suppressiveness in soil, cropping sequence, 1029; tissue specificity and cutinase role, 1055; *Trichoderma hamatum* for control on bark compost, 73; *Trichoderma* populations associated with, 996; on wheat, associated fungi, 1049; on wheat seedlings, fallow effect, 890
—*R. zeae*, on fescue, seedling emergence effect, 1025
Rhizomonas suberifaciens
—on lettuce: classification, 964; monoclonal antibodies specific for, 893
—on lettuce and barley, survival, 891
—population dynamics, 891
Rhizosphere
—luciferase marker for monitoring rhizobacteria, 436
—soilborne fungi, computer assistance, 1029
Rhynchosporium spp.
—*R. orthosporum*, on orchardgrass, histopathology, 888
—*R. secalis*, on barley: incidence on seeds, symptoms, 1006; pathotype nomenclature, 1330
Rice
—bacterial blight: severity in Nepal, 1001; transposable elements as probes, 982
—blast: DNA polymorphism and pathotype variation, 1015; model system, APS plenary session, 33; population structure in Philippines, 981
—dead tiller syndrome, in Arkansas, 1005
—fungicide penetration and retention in canopy, 975
—IBSNAT CERES crop model, 997
—leaf blast, paralogistic model, 996
—leafhopper on, resistance to vector, 659
—seedling diseases, time-temperature relations, 1039
—sheath blight: control with fungicides, time effect, 1041; somaclonal variation for resistance, 999
—sheath rot and grain discoloration, *Pseudomonas* spp. causing, 517
—sub-specific groups of, key disease resistance, 999
—tungro disease, virus association, 371
Rice hoja blanca virus, replication of, genetic determination, within vector, 559
Rice transitory yellowing virus, on tobacco, assay host, 777, (779, 780)
Rice tungro virus, transmission on vector-resistant rice, 659
Richardson, J., 282
Richardson, P. E., 437
Richins, R. D., 1018
Richter, G., 1057
Ricker, R. W., 1013
Riedel, R. M., 425
Riemenschneider, D. E., 1099
Ries, S. M., 1070
Riesselman, J. H., 1006
Rijkenberg, F. H. J., 579, 961, 1010
Riley, K. L., 887
Riley, T. D., 1000, 1057
Rimmer, S. R., 1007
Ring, A. S., 1045
Ringer, C. E., 672
Risius, M. L., 123
Ristaino, J. B., 1025, 1029, 1253
Ritch, D. L., 123, 124
Ritchie, D. F., 1023
Rittenburg, J. H., 962
Rivera, C., 516, 1021
Rivera, G., 517
Rivera, J. M., 1070
Rizvi, S. S. A., 967, 974, 1046
Roane, C. W., 317
Robb, K., 890
Roberts, D. A., 433
Roberts, D. P., 461, 965
Roberts, D. R., 995
Roberts, J. J., 1046
Roberts, N. B., 889
Roberts, P. A., 745
Roberts, R. G., 526, 1020, 1050, 1051
Robertson, N. L., 1018
Robertson, W., 108
Rocha-Peña, M. A., 1059
Rochon, D. M., 1034
Rochow, W. F., 315
Rodríguez, C. M., 516
Rodriguez, R., 1062
Rodriguez-Kabana, R., 434, 1012, 1024
Rodriguez-Palenzuela, P., 1037
Roelfs, A. P., 141, 963, 1056
Rohde, R. G., 975
Rojas-Jiménez, M. R., 514, 516
Roland, T. A., 251
Rollins, J. A., 1062
Romaine, C. P., 1037
Romantschuk, M., 1057
Rondinaro, S. M., 123
Rood, T., 1053
Roongruangsree, U.-T., 673
Roossinck, M. J., 969
Rosales, A. M., 1011
Rose
—mottle syndrome: electron microscopy, 120; symptoms and environment effects, 124
Roseman, T. S., 970
Rosenberger, D. A., 123, 973
Roth, D. A., 618, 889
Rothrock, C. S., 438, 970
Rottboellia cochinchinensis, apical rot of, causal agents, 515
Rottinghaus, G. E., 1020
Rouse, A. E., 1077
Rouse, D. I., 482
Rowe, R. C., 425, 1160
Rowley, K., 1007
Roy, K. W., 1043
Royer, M. H., 673, 1030, 1421
Runion, G. B., 1065
Rupe, J. C., 1039, 1051, 1060
Rupp, R., 1059
Rush, C. M., 967, 971, 1008
Rush, M. C., 999
Russell, B. W., 1062
Russell, D. R., 983
Ryegrass, endophyte infection, drought stress effect, 1031

Saborio, S., 516
Sackston, W. E., 123, 1005
Safir, G. R., 1008
Saillard, C., 233
Salas, B., 1029
Salgado, M., 974
Salomon, R., 78
Sams, C. E., 1044

Sanders, D. W., 962
Sanders, P. L., 119
Sanderson, P. G., 970, 973
Sandler, H. A., 1025
Sands, D. C., 991
Sanford, J. C., 1039
Sanogo, S., 123
Sasaki, J., 636
Sasaki, K., 1038
Sato, N., 124
Satyanarayana, M. V., 812
Sauer, D. B., 1003
Saunders, D. W., 963
Saunders, J. E., 990
Savary, B. J., 1052
Savka, M. A., 503, 984
Sawamura, K., 890
Saxena, R. C., 371
Saxton, A. M., 622
Scatella stagnalis, *Pythium* vector, ingestion-egestion, 1244, (1245, 1246)
Schaad, N. W., 888, 892
Schaff, D., 959
Schardl, C. L., 1056, 1062
Scharen, A. L., 886
Schenck, N. C., 1031
Schesser, K., 1073
Schilder, A. M. C., 84, 123
Schisler, D. A., 991
Schlagnhaufer, B., 1037
Schlemmer, A., 1062
Schloemann, S. G., 118
Schmidt, R. A., 514
Schmitthenner, A. F., 962, 968
Schneider, R. W., 963, 964, 1039
Schneider, S. M., 988
Schoelz, J. E., 969, 998, 1018
Schroder, E. C., 1050
Schroeder, J., 1047
Schroth, M. N., 206, 965, 969, 992
Schuerger, A. C., 971
Schuh, W., 804, 987, 1337
Schultz, M. E., 977, 989
Schutz, A. R., 993
Schwartz, H. F., 974, 1072
Schwarz, P. B., 1021
Sclerotinia spp.
—*S. borealis*, extracellular enzyme of, in callus, 1000
—*S. minor*: mycelia of, preparation, 1015; sclerotial viability, after duck ingestion, 437
—*S. sclerotiorum*: on bean, *Erwinia* as biocontrol agent, 1016; on cabbage, incidence in Florida, 1026; mycelial compatibility group, fingerprints, 994
Sclerotium rolfsi
—control with slow release fertilizer, 1024
—population dynamics in greenhouse, 434
—sclerotial formation, chill-induced, 964
—sclerotial germination affected by *Gliocladium*, 627
—sclerotial mycoparasitism by *Gliocladium*, 994
Scolytus ventralis, fungi associated with, 990
Scott, D. H., 1141
Scott, G. E., 439
Scott, H. A., 900, 1032, 1048
Scott, J. W., 999, 1070
Scott, S., 1061
Scott-Craig, J. S., 980, 1009
Seabury, F., 709
Seem, R. C., 842, 846, 970
Seemüller, E., 233
Segars, S. B., 433
Sehgal, O. P., 1032, 1182
Sejima, M., 636
Semer, C. R., 1030
Septoria spp.
—*S. citri*, isozyme comparisons in Australia and USA, 974
—*S. glycines*, pathotoxin from, host-specific, 1044
—*S. musiva*, aggressiveness of, leaf disk method, 1066
—*S. nodorum*: on wheat, resistance components, 967; on wheat leaves, *Pyrenophora* competitive with, de Wit replacement series, 1177; on wheat seed, assay medium, 962
—*S. tritici*: DNA fingerprinting of, clonal diversity, 965; survival and saprophytic ability, 967; on wheat, tillage effect, 1337
Sequeira, L., 982, 984, 1047, 1054, 1071
Sewell, T., 993
Shaffer, R., 119
Shah, S. Z., 1052
Shaheen, F., 1022
Shain, L., 976, 998, 1064
Shane, W. W., 1208
Shaner, G. E., 999
Shapira, R., 950, 1062
Shark, K. B., 1039
Sharon, A. , 925
Shaw, C. G., III, 976, 1065
Shaw, D. A., 749
Shaw, D. C., 989
Shaw, J. G., 1033
Shaw, J. J., 436, 972, 980
Shaw, M. E., 985, 1072
Shearer, J. F., 1020
Sheets, C. J., 965
Shefelbine, P. A., 1020
Shelby, R. A., 1020
Shepherd, R. J., 983, 1018
Sherald, J. L., 1066
Sherif, N., 1007
Sherwood, J. E., 1042
Sherwood, J. L., 986, 1006, 1033, 1034
Sherwood, R. T., 1427
Shew, H. D., 1028
Shier, W. T., 1052
Shintaku, M. H., 1035
Shirako, Y., 1018
Shishkoff, N., 1049
Shivashankar, G., 670
Shokes, F. M., 975
Shorey, H., 972
Shotwell, K. M., 892, 1017, 1042
Shotwell, O. L. 1283
Shrier, R., 124
Shtienberg, D., 466, 772
Shukla, D. D. , 907, 998
Siegel, M. R., 1056
Sijam, K., 435, 438, 1000
Sikora, E. J., 1047
Silva, S., 516
Silverstone, S. E., 972
Simini, M., 991
Simon, A. E., 238
Simone, G. W., 1063
Sinclair, J. B., 962, 1019, 1024, 1040, 1044, 1051, 1052
Sinclair, W. A., 990
Sinden, S. L., 670, 673
Singh, A., 998
Singh, R. P., 246, 998
Singleton, L. L., 437, 1029
Sivasithamparam, K., 1028, 1039, 1049, 1051
Skaria, M., 974
Skelly, J. M., 124, 991
Skilling, D. D., 1065
Skopp, R. N., 987, 1401
Skroch, C., 1071
Slack, S. A., 1058, 1061
Sleat, D. E., 1017
Slightom, J. L., 983
Smalley, E. B., 968
Smart, M. G., 991, 1283, 1287
Smilanick, J. L., 217, 972, 1045
Smiley, R. W., 1041
Smith, A. J., 1053
Smith, B. J., 438, 973
Smith, C. M., 962, 963
Smith, D. A., 1062
Smith, D. H., 438
Smith, F. D., 584, 1000, 1039
Smith, G. R., 438
Smith, G. S., 974
Smith, J. D., 1069
Smith, O. P., 609, 670, 980, 987
Smith, S. S., 966
Smith, V. L., 880
Smittle, D., 1026
Snapdragon, rust of, systemic fungicides for, 890
Sneath, B. J., 1038
Snijders, C. H. A., 566
Snow, J. P., 386, 402, 497, 571, 966, 968, 989, 1014, 1015, 1042
Sogatodes oryzicola, rice hoja blanca virus, replication in vector, 559
Soilborne wheat mosaic virus
—nucleotide sequence of RNA II, 1018
—in *Polymyxa graminis*, incidence, 1021
Soil solarization, polymer mulches for, soil sealing applications, 892
Solel, Z., 977
Solomon, J. D., 1047, 1064, 1065
Somers, G. L., 1027
Somerville, S. C., 325, 994, 1050, 1054
Somerville, T. H., 246
Sommerfeld, M. L., 1027
Somodi, G. C., 999
Sonchus yellow net virus, in protoplasts, replication, 1033
Song, H. S., 1044, 1073
Sonoda, R. M., 992, 1439
Sorghum
—ergot of, stroma, honeydew, and conidia, 812, (813-817)
—*Fusarium* spp. from fields in central and eastern USA, 343
—*Fusarium moniliforme* on, glume role in resistance, 1069
—leaf blight, severity in South Africa, weather factors, 943
—seed deterioration, fungicide and herbicide effects, 1060
Sorghum yellow banding virus
—maize dwarf mosaic virus interaction, 438
—occurrence in Texas, 1027
Sowell, C. L., 988
Soybean
—agronomic performance, multiple disease infestation, 1039
—bacterial communities in roots and soil, 995
—budblight disease, susceptibility rhythm and time-sequenced inoculation, 1031
—cell culture, cultivar-specific elicitor, 985
—cell populations, glyceollin elicitors of, 1009
—*Cercospora kikuchii* on pods and seeds, reproductive stages, 1040
—*Colletotrichum* spp. interaction, systemic effect, 472
—cyst nematode: hairy root induction, 503, (507); races in Tennessee, 1012; syncytia location and size on roots of, 1012
—frogeye leaf spot: resistance screening methods, 1000; yield effect, 1013
—*Fusarium* spp. from fields in central and eastern USA, 343
—*Fusarium* and *Pythium* in asymptomatic plants, population dynamics, 1004
—nematode of, tillage system and yield response, 436
—*Phomopsis longicolla* on, temperature effect, 1039

—*Phytophthora megasperma* on, *Rps* genes, 1068
—plant growth and nodulation, enhanced by bacteria, 1024
—pod test for foliar fungicides, evaluation, 1030
—production affected by fertilizer, fungicide, and cultivar, 1040
—Rhizoctonia aerial blight: epidemic analysis in Louisiana, 386; factors, 497
—rust epidemics, analysis and modeling, 673, 1421
—rust of, plant growth and yield effect, 1013
—*Septoria glycines* on, reaction from organogenic callus, 1073
—stem canker of, spatial and temporal spread, 571
—severe stunt disease of, etiology and properties, 1021
—stem canker, spread, 1004
—storage fungi of seeds, moisture variability, 1019
—sudden death syndrome: field study, 1004; *Fusarium solani* relation, 1043
Soybean dwarf virus, dsRNA analysis, detection, 987
Sparks, R. B., 90
Specht, L. P., 1108
Spencer, N. M., 1045, 1060
Sphaceloma zorniae, legume host, estrogenic activity in, 515
Sphaerotheca spp.
—*S. fuliginea*, on pumpkin, action threshold, 971
—*S. pannosa*, antagonists to, interaction, 117
Spiegel, F. W., 1043
Spielman, L. J., 123, 124, 1006
Spike, C. A., 1056
Spinach, downy mildew resistance, new race, 1026
Spinski, P. L., 1071
Spiroplasma citri, surface proteins, colloidal gold localization, 1072
Sporidesmium sclerotivorum, biocontrol, economic, 1120
Sporisorium reilianum, host specialization, genotypic markers, 1015
Spotts, R. A., 1002
Spradlin, T., 438
Spruce, black, Cylindrocladium root rot of, in nurseries, 990
Spurr, H. W., Jr., 1041
Squash, silverleaf disorder of, sweetpotato whitefly relation, 895, (896)
Squash leaf curl virus, nucleic acid association, whitefly relation, 850
Squash mosaic virus
—DNA of, molecular cloning, 120
—electrophoretic form conversion by beetles, 900
Stace-Smith, R., 888, 892
Stack, R. W., 1029, 1041, 1064
Stall, R. E., 719, 829, 965, 972, 981, 1058, 1070
Stanghellini, M. E., 313, 889, 892, 966, 1244
Stanosz, G., 124, 991
Staples, R. C., 81, 979
Stapleton, J. J., 892
Starr, J. L., 1012, 1391
Staskawicz, B., 961
Stasz, T. E., 992
Stauffer, C. S., 1049
Stave, J. W., 962
Stavely, J. R., 672, 1056
Stayton, M., 985
Steadman, J. R., 1016
Steffenson, B. J., 1021, 1059
Steiner, P. W., 673
Stenger, D. C., 704, 1352
Stenotaphrum secudatum
—rod-shaped virus of, analysis, 979
—virus of, in Texas, 435
Stepanek, L. J., 1042
Stephens, C. T., 999
Stermer, B. A., 959
Stevens, C., 1019, 1051
Stevenson, W. R., 1063
Stewart, E. L., 1043
Stienstra, W. C., 1040
Stier, J. C., 1208
Stipes, R. J., 670
Stites, J., 1023
Stockwell, V. O., 1001
Stone, A. L., 987
Stone, J. K., 1014, 1031, 1043
Stoner, M. F., 890
Strausbaugh, C. A., 965
Strawberry
—anthracnose crown rot, management, 437
—anthracnose of, temperature and moisture effect, 111
—*Colletotrichum* and *Glomerella* on roots of, crown rot cause, 974
—fruit rot, rain splash dispersal of inoculum, 590
—integrated pest management program, 118
—pallidosis disease, dsRNA analysis for detection, 543, (546)
—pathogens of, chitosan antifungal effect, 1020
—*Phytophthora* spp. of, root and fruit rot, 891
Strawberry crinkle virus, purification and characterization, 282, (284)
Streptomyces spp.
—*S. hygroscopicus*, herbicide production genes from, transfer to *Xanthomonas*, 996
—*S. scabies*, on potato, symptoms induced by vivotoxin, 606
Strike, P. M., 907, 998
Stringer, M., 993
Strobel, N. E., 1008
Stromberg, E. L., 672, 673
Stryker, C. J., 993
Stylosanthes spp., anthracnose of, infection, 837, (839, 841)
—*S. guianensis*, anthracnose, virulence and isozymic variation, 728
—*S. scabra*, anthracnose of, disease progress, 1147
Su, H. J., 1072
Subba Rao, K. V., 402, 989, 1014
Subbaiah, P. V., 968
Subterranean clover red leaf virus
—sugar content and symptoms, 1061
—winter survival, 1060
Sugar beet
—Aphanomyces damping-off, suppression by plant residue, 1009
—pectin lyase from, inhibitor, 1054
—root rot of, in Wyoming, 1004
—seed priming techniques, evaluation, 971
Sugar, D., 1002
Sugarcane
—*Pythium* effect, pathogenicity, 121
—ratoon stunting disease of, spread by mechanical harvester, 1001
—smut, resistance and clone reactions, in Louisiana, 622
Sugarcane mosaic virus
—coat protein gene in strain of, genetic recombination, 998
—resistance from feral germplasm, 1070
Sugar maple, habitat classification, hardwood decline survey, 1064
Sujkowski, L., 123
Suleman, P., 673
Summerell, B. A., 877
Sumner, D. H., 676
Sumner, D. R., 992, 1010, 1026
Sun, C., 1061
Sun, X. P., 1023
Sunboul, Y. H., 970
Sunflower
—downy mildew of, leaf-disk inoculation technique, 1059
—Phoma black stem rot, artificial inoculation, 1040
Surve, R., 974
Sutton, T. B., 968, 973, 1212, 1218
Suzuki, N., 1028
Swarup, S., 961
Sweetingham, M. W., 890, 1029
Sweetpotato
—chlorotic leaf distortion, *Fusarium lateritium* cause, 741, (742, 743)
—soil rot and yield, factors affecting, 1025
—souring of, pectolytic clostridia, 1002
Sweetpotato feathery mottle virus
—coat protein gene, sequence analysis, 1017
—elimination in greenhouse, 1061
Sweets, L. E., 1020, 1046
Sylvester, E. S., 282
Szabo, L. J., 963
Szerszen, J. B., 960, 1032, 1432
Sztejnberg, A., 1011
Szyndel, M. S., 124

Taber, R. A., 438, 1012, 1032
Tadesse, W., 1039
Taga, M., 819
Tainter, F. H., 1347
Tait, D. E. N., 1269
Takeuchi, Y., 636
Talaromyces flavus, strains for biocontrol of Verticillium wilt, 995
Taliaferro, C. M., 1043
Tamaki, S. J., 985
Tanabe, K. 1088
Taniguchi, J. H., 891
Tate, J., 1047
Tattar, T. A., 118
Tavantzis, S. M., 631, 1019
Taylor, A. G., 992
Teaching, professionalism, methods, 1059
Tebbets, J. C., 1045
TeBeest, D. O., 1043, 1057
Tempé, J., 1037
Teng, P. S., 416, 996, 997, 1001
Tessier, B. J., 756
Teviotdale, B. L., 1071
Tewari, J. P., 517
Texas pepper geminivirus, symptoms of, biological and genomic properties, 704
Thakur, R. P., 309
Thanatephorus cucumeris
—on bean: inoculation method, resistant evaluation, 516; population dynamics, 513
Thaveechai, N., 892
Thaxton, P. M., 965
Theiling, K. M., 970
Thériault, J., 124
Therrien, C. D., 122, 123, 124
Theu, M. P. K. J., 438
Thielges, B. A., 998
Thies, J. A., 1024
Thies, K. L., 438, 1071
Thomas, C. E., 439, 1230
Thomas, C. S., 1031
Thomas, M. R., 1053
Thomas, P. L., 509
Thomas, S. H., 1047
Thomashow, L. S., 969
Thomason, I. J., 745
Thompson, C., 983
Thompson, G. A., 1035
Thompson, R. A., 1039
Thomson, S. V., 892, 1017, 1042
Thornburg, R. W., 976

Thornbury, D. W., 1018, 1036
Thornton, F. C., 1027
Tian, Y., 980
Tiffany, L. H., 1020
Tilletia spp., on wheat, genetic analysis of species cross, 367
—*T. controversa*, teliospores of, viability estimated biochemically, 474
—*T. indica*, dsRNA from, isolation, 670
—*T. tritici*, sensitivity to methyl bromide, *T. controversa* comparison, 1045
Tilletiopsis pallescens, barley powdery mildew affected by, 325, (327-329)
Tilmon, H. D., 976
Timberlake, W. E., 993
Timmer, L. W., 1025
Tiongco, E. R., 659
Tipping, E. M., 992, 1050
Tisserat, N., 979
Tobacco
—black shank of, biological and chemical control, 437
—blue mold: light effect on germination, 1003; resistance factors, 1000
—cyst nematode, nematicides for, application method, 671
—Fusarium wilt of, soil factors affecting, 121
—interspecific fusion hybrids, regeneration, 1069
—mildew and tobacco mosaic virus immunization, chitinase isozyme pattern, 1024
—nematode damage, yield effect, 119
—Phytophthora root rot, resistance and inoculum position, 1028
—protoplasts of, superoxide anion generation, 1054
—sore shin of, biocontrol, 673
—tobacco mosaic virus and blue mold relation, cell wall changes, 1023
—transgenic: chitinases of, antifungal activity, 1067; resistance to fungi, 1003
Tobacco etch virus, on bell pepper, epidemic rate and disease resistance, 451
Tobacco mosaic virus
—in *Arabidopsis thaliana*, cross protection, 1034
—coat proteins, hypersensitive phenotype, 961
—cross protection breakdown, 986
—gene expression in whole plants, analysis, 1037
—genomic RNA, cleavage, ribozyme engineered, 1035
—pokeweed protein and tobacco cell wall interaction, 636
—protein kinase encoded, regulation, 889
—replication inhibited by hypersensitive protoplasts, 23-K protein species, 78
—resistance, blue mold relation, factors, 1295
—symptom determinants and phenotype of RNA and DNA clone, 1017
Tobacco ringspot virus, circularization and biological activity of, mutation, 969
Tobacco streak ilarvirus, on bean, transmission by seed and anther, 1021
Tobacco vein mottling virus
—helper component preparations, characterization, 1018
—molecular analysis, potyviral genomes, 1036
Tobamoviruses, recovery in watersheds, in Adirondacks, 120
Todd, J. W., 988
Todd, L. R., 959, 1061
Toler, R. W., 433, 435, 436, 438, 979, 1027
Tolin, S. A., 987
Tomato
—bacterial canker, diagnosis using chromatography, 318
—bacterial spot, screening procedure, 999
—big bud mycoplasmalike organism, monoclonal antibodies for detection, 958
—cell culture, methionine uptake, indoleacetic acid enhancement, 1047
—collar rot, resistance in breeding lines, 1365
—cross protection in wilt, 1010
—early blight, epidemic factors, 438
—*Fusarium* and bacterial wilt suppression in, herbicide effect, 974
—Fusarium root rot of, resistance mechanisms, 163, (165, 168-172)
—geminivirus epidemic, in Florida, 1063
—ozone use in postharvest treatments, 1020
—Phytophthora root rot: salinity predisposition, 1023; sodium-calcium ratio, 1323; yield relation, 1025
—powdery mildew in greenhouse, in France, 1063
—*Pseudomonas solanacearum* on, resistance, 515
—seedborne bacterial pathogens, detection method, 1001
—toxins from nonpathogens of, 1004
Tomato bushy stunt virus, etiology in California, 1352, (1354)
Tomato leaf curl virus, resistance to vector, 670
Tomato mosaic tobamovirus
—on lilac and white ash, 990
—water recovery in Adirondack Mountains, 990
Tomato mosaic virus, resistance genetics, in somaclones, 966
Tomato ringspot virus
—in apple, detection with ELISA and dot blot hybridization, 119
—detection: using CDNA probe, 1035; using immunology and nucleic acid hybridization assay, 1048
Tomato spotted wilt virus
—clone characterization, 1017
—in Colorado, 1071
—on peanut, epidemics, 988
—resistance inheritance, 1027
—RNA detection in thrips, 998
—terminal sequences, comparison in isolates, 1018
—on tobacco, epidemiology, 434
—virion morphology differences, 1022
—virus-specific hybridoma produced by, immunology, 158
Tomerlin, J. R., 975
Tonkyn, D. W., 1028
Tooley, P. W., 124, 980
Torres, C., 516, 517
Torsello, M. L., 124
Toth, K. F., 1045
Toussoun, T. A., 343
Toxin (see also Mycotoxin)
—thaxtomin, in potato tubers from scab infection, 606, (607)
Trail, F., 367, 1055
Traynor, P. L., 1019
Tree diseases
—coniferous, root diseases in western North America, 976
—new in Israel, 977
—seedlings in nursery, fungi associated in Haiti, 1065
Trese, A. T., 196, 998
Trialeurodes vaporariorum, beet pseudo-yellows virus vector, 866, (867, 868)
Trichoderma spp., biocontrol agent for *Fusarium* on tomato, 1406, (1409-1412); root and crown rot of apple, 880
—*T. hamatum*, Rhizoctonia damping-off control of, in hardwood bark compost, 73
—*T. harzianum*: biocontrol agent, media for, 992; growth in alginate pellets, factors affecting, 724
Trigiano, R. N., 978, 1042, 1068, 1072
Trigo-Stockli, D. M., 1003
Troomé, O., 517
Tsai, B. Y., 673, 1421
Tsai, H.-F., 1056
Tsai, J. H., 715, 1476
Tsao, P. H., 888
Tschanz, A. T., 673, 1013, 1421
Tsuge, T. , 1088
Tsuji, J., 1054
Tumer, N., 1073
Turf, summer patch, survey in New Jersey, 121
Turfgrass (see also Bluegrass, Fescue, *Poa* spp.)
—fungicides and disease effect on quality, 975
—*Leptosphaeria korrae* on, serological detection, 1208
—nematodes on, survey of damage in West Virginia, 1012
—patch, temperature-osmotic potential of pathogens, 646
—*Pythium* spp., in North Carolina, 979
—root infection, *Phialophora* anamorphs, 520
Turner, B. C., 892
Turnip crinkle virus, satellite RNA, 238, (239), 983
Tuskan, G. A., 857
Tuttle, L. D., 985
Tuzun, S., 1023, 1024
Tweedy, B. G., 1268
Twigg, S. M., 1042
Typhula phacorrhiza
—biocontrol agent, alginate pellet application, 121
—creeping bentgrass controlled by, factors, 70

Uchida, J. Y., 886
Uddin, W., 1041
Ueng, P. P., 913, 1036
Uncinula necator
—on grape: ascospore germination and infection, 1198, (1199); fungicide sensitivity, 975; temperature effect, 1031
—population growth model, microcomputer spreadsheet, 887
—spore discharge and ascocarp dehiscence, 393, (396-398)
—virus-like particles of, detection, 969
Upchurch, R. G., 1062
Upper, C. D., 934
Urban, L. A., 1022, 1034
Uromyces spp.
—*U. appendiculatus*: on bean, appressorium development, 1043; on bean, biocontrol with avirulent isolate, 515; dominant segregation for virulence, 1056; gene INF56, characterization, 979; isozymes and virulence diversity patterns, 141; propiconazole effect, 974; selection model, 1057; spore dispersal, 1469
—*U. dianthi*, on carnation, temperature and leaf wetness factor, 971
Ustilago spp.
—*U. avenae*, triadimenol resistance to, 584
—*U. hordei*: isozyme detection and variation, 671; mating reaction, medium for, 1042; polymorphisms in races of, 980; protoplast formation and transformation, 994
—*U. maydis*: huitlacoche production in, 1044; indole-3-acetic acid synthesis in, 1055

—*U. nuda*, carboxin effect on, 509
—*U. scitaminea*, heritability and repeatability in hosts, in Louisiana, 622
—*U. violacea*, mitochondrial inheritance, 966
Uyemoto, J. K., 893

Vaillancourt, L. J., 963
Valent, B., 33, 1382
Vali, R. J., 124, 1041
Valsangiacomo, C., 1009
Valverde, R. A., 741, 966
Van Arsdel, E. P., 975
van Asch, M. A. J., 961, 1010
van Bruggen, A. H. C., 891, 893, 964, 989, 1323
Vandemark, G. J., 966
Vandenberg, J. D., 1017
van den Bosch, F., 598
Van der Kamp, B. J., 1269
Vanderlaan, P., 515
van der Zwet, T., 673
Van Deusen, R. A., 1032
VanEtten, H. D., 1063
VanGessel, M. J., 1061
Van Gundy, S. D., 206
Van Marin, A. F., 1352
van Tol, H., 969
van Vuurde, J. W. L., 888, 972
Van Wert, S. L., 993
Van Wyk, P. S., 131
Vargas, R., 517
Vargas de Alvarez, A., 515, 517
Vargas V., O., 517
Varney, E. H., 118
Vegetable marketing, quality, microbial populations, 672
Vela, C., 1034
Velicheti, R. K., 1019
Venturia inaequalis
—on apple: *Athelia bombacina* as antagonist to, in litter, 530; histology, 117
—ascospore maturity and discharge, variation in estimates, 973
—benomyl-resistant strains, characterization of gene, 994
—conidial survival, wetting effect, 973
—delayed development, in Utah, 892
—flusilazole-resistant isolates, germination effect, 1000
—pseudothecial development, inhibited by *Athelia* on apple leaf litter, 536
Vera Cruz, C. M., 999
Verbesina alternifolia, tomato spotted wilt-like virus from, 1060
Vergel de Dios-Mew, T. I., 999
Verhaar, M. A., 598
Verticillium spp., on velvetleaf, inoculum reservoir for crops, 123
—*V. albo-atrum*, on alfalfa: growth and physiological response, 1247; stomatal and mesophyll limitation of photosynthesis, 1003, 1300
—*V. dahliae*: biocontrol with *Gliocladium* spp., 995; on eggplant, black plastic and nitrogen effect, 1029; microsclerotia of, metham sodium treatment effect, 670; on potato, nematode combination effect, 482; on potato, nematode role, 1077; vegetative compatibility groups, genetics, 1160; vegetative compatibility groups, reassessment, 965; on velvet leaf, field inoculation, 435
Verwoerd, T. C., 1067
Vesonder, R. F., 1004, 1052
Vigna unguiculata, virus of, occurrence on Guam, 1060
Vilchez, M., 890
Vilgalys, R., 151, 1007, 1008
Villalon, B., 439, 704, 981
Villarreal-Gonzalez, M. J., 965
Vincelli, P. C., 1004
Vincent, J. R., 1035, 1036
Viroids, on pome fruits, polymerase chain reaction, 983
Viruses
—aphidborne, nonpersistent, retention time, 769
—bacilliform, dsDNA genome of, evidence for, 127, (129)
—beetle-transmitted, transmission differences in hosts, 1032
—*Bemisia tabaci* vectors of, isozyme patterns and transmission, 888
—comovirus, electrophoretic forms converted by beetles, 900, (903)
—cucurbit, identification in Central America, 1021
—detection: immunology, tissue blotting on nitrocellulose membrane, with tissue blotting on nitrocellulose, 672, 824, (826, 827)
—geminiviruses: on bean, discharge particle acceleration, 983; whitefly-transmitted, DNA hybridization analysis, 887
—ilarviruses, on peach trees, 893
—molecular evolution and viral gene characterization, sequencing, 436
—nepovirus, *Euonymus*, ultrastructural studies, 134, (136, 138, 139)
—potyvirus: aphid transmissibility of, coat protein effect, 969; detection and differentiation using monoclonal antibodies, 1033; protoplast infection, cylindrical inclusions, 1033; structure and coat protein mediated resistance, 1018
—tymovirus, from eggplant, cytopathology, 1092, (1094, 1096, 1097)
—ultraviolet absorption spectra, simulation, 1034
Voandzeia subterranea, potyvirus of, detection in seed from Africa, 436
Voisard, C., 1024
Voltz, D. C., 975
Volutella pachysandricola, on *Pachysandra*, environment effect on resistance, 272
vonBroembsen, S. L., 439, 987
Vongsasitorn, D., 1033

Wacker, T. L., 1059
Wagner, R. E., 1044, 1068
Wainshilbaum, S. J., 967
Waldron, C., 1056
Walker, D. C., 1062
Walker, S. K., 673
Walkinshaw, C. H., 251, 976, 1065
Wall, G. C., 1060, 1063
Walla, J. A., 857, 1064
Walnut, witches' broom, DNA from, 958
Walter, J. C., 673
Walter, M. H., 1021
Walton, J. D., 961, 980, 1009
Waney, V. R., 985
Wang, A., 517
Wang, J. F., 1070
Wang, M., 158, 986, 1017
Wang, T. C., 1069
Wang, X., 1019
Wang, Y. C., 158, 946
Waniska, R. D., 1069
Ward, B. L., 1010
Ward, C. W., 998
Ward, L. J., 665
Warsi, S., 120, 124
Watermelon
—bacterial fruit blotch: cultivar resistance, 435; in Indiana, 1070
—Fusarium wilt, induced resistance, 436
Watermelon mosaic virus I
—cucumber mosaic virus association, on melons and watermelons, in Costa Rica, 516
—electrophoretic characterization, in Costa Rica, 516
Watterson, J. C., 1027
Wayadande, A. C., 1021
Weathers, L. G., 675
Webby, G. N., 1060
Weber, G. K., 1013
Webster, R. K., 1330
Wei, Z.-M., 1039
Weidemann, G. J., 435, 1011, 1057
Weingartner, D. P., 1026
Weinhold, A. R., 206, 965, 992
Weiss, J., 1073
Weissinger, A. K., 1022
Weldekidan, T., 1021
Weller, D. M., 969, 995
Welty, R. E., 888, 1043
Wen, F., 1036
Wen, Y., 1019
Westcott, S. W., III, 1046
Westerdahl, B. B., 892
Westra, A., 1058
Wheat
—aphid honeydew on, yeast relation, 1016
—bunt of: molecular karyotype analysis, 1062; teliospore production by species and species hybrids, 367
—Cephalosporium stripe of, root-wounding and inoculum density effect, 1108
—cereal eyespot of, immunoassay for detection, 962
—common bunt of, triadimenol and carboxin for control, 967
—crown rot of, stubble management, 877
—dry seed decay, seed treatments for, 889
—eyespot of, control and management in New York, 120
—*Fusarium* spp. on stems of, 1005
—*Fusarium* infection, tillage comparisons, 1029
—Fusarium root rot of, calcium chloride effect, 974
—interaction of rust and nematodes, 961
—kernels of, head blight and toxin relation, 566
—leaf rust: epidemics in Louisiana, 402; estimation of infection, 989; phenotype selection, 1377; resistance gene expression, 579; resistance and chloride response, 967; resistance genes in South Dakota, 1046
—monoculture of, captafol residue behavior, 514
—potyviruses of, genetic relatedness and RNA sequencing, 1018
—powdery mildew: resistance, introgression from rye, 242; resistance gene, chromosomal location, 1129; tiller affected by, 1013
—powdery mildew and leaf rust, effect in North Carolina, 433
—*Pyrenophora* and *Septoria* competition on leaves of, de Wit replacement series measurement, 1177
—*Pythium* on roots of, histopathology, 437
—Rhizoctonia bare patch, pectic zymogram characterization, 890
—Rhizoctonia root rot: AG, 784; fungicides for, efficacy, 967
—*Septoria nodorum* on, resistance components, 967
—Septoria nodorum blotch of, moisture effect, 1005
—*Septoria tritici*: DNA polymorphisms in, genetic variation, 1368; resistance components in Morocco, 967; tillage effect, 1337
—snow mold resistance in, detection, 1070
—stem and leaf rust of, physiological process

alteration in flag leaves, 677
—stored hard white and red winter wheats, comparison, 1003
—stripe rust resistance, inheritance, 1057
—take-all of, manganese seed content factor, 970
—tan spot: population variation and virulence of pathogen, 84; tillage system effect on spatial pattern, 804
Wheat soilborne mosaic virus
—*Polymyxa graminis* relation, 672
—resistance expression, 1033
Wheat streak mosaic virus
—capsid protein degradation, 1401
—genomic RNA, sequence homology, 1036
—on wheat, maturity effect, 1006
Wheeler, T. A., 988
White, F. F., 1053
White, J. W., 997
White, T. J., 965
Whittaker, L. A. , 907
Wick, R. L., 124
Wicklow, D. T., 1287
Wicks, Z. W., III, 1046
Widholm, J. M., 1073
Wiese, M. V., 888, 1069
Wiggers, R. J., 1391
Wilch, G. A., 966
Wilcox, W. F., 880, 1004
Wilcoxson, R. D., 579, 1024
Wilder-Ayers, J. A., 741, 1068
Wilkinson, D. R., 1060
Wilkinson, H. T., 1029, 1068
Wilkinson, R. E., 1046
Willamowski, H. D., 887, 891
Williams, E., Jr., 967
Williams, L. E., 1267
Williams, P. H., 1007
Williams, W. P., 439
Williamson, P. M., 1039
Willis, D. K., 984
Willow, biomass plantation, disease effect, 1014
Wilson, C. L., 456, 732, 1019, 1020, 1050, 1051
Wilson, D. O., Jr., 891
Wilson, J. P., 439, 1173
Wilson, L. L., 111, 590, 1031, 1115
Wilson, M., 1030, 1058
Wilson, T. M. A., 1018
Wilsonomyces carpophilus, on almond, factors affecting, 749, (752)
Windels, C. E., 970, 1009
Windham, G. L., 439, 1046, 1047
Windham, M. T., 978, 1046, 1068, 1072
Windom, G. E., 886
Wintermantel, W. M., 969
Wisler, G. C., 987
Wisniewski, M. E., 456, 1050
Wixted, D. J., 1012
Wofford, D. S., 889
Wolf, G., 969
Wolf, R., 1064
Woloshuk, C. P., 1067
Wong, R. G., 998
Wongkaew, S., 1451
Wood, D. L., 989
Wood, T. E., 1032
Woodbury, P. B., 124
Worasatit, N., 1049
Worawitlikit, O., 1031
Wrather, J. A., 472
Wu, B.-C., 108, 992
Wu, R. Y., 1072
Wuest, P. J., 118
Wyatt, C., 1027
Wyatt, S. D., 1021
Wyatt, S. E., 1000
Wyllie, T. D., 970
Wymore, L. A., 123
Wynne, J. C., 1395, 1451
Wysong, D. S., 1004, 1022

Xanthomonas spp.: from Araceae, fatty acid analysis in characterization, 1058; on aroids, characterization, 1001; pathogenicity gene and DNA sequence, 961
—*X. campestris*: on citrus, aggressiveness variation, 190, (193); from citrus, RFLP and fatty acid profile, 972; copper resistance genes in, detection using DNA probe, 1037; detection by protein profiles and monoclonal antibodies, 964; genetic engineering of, movement in environment, 972; on geranium, detection using polyclonal antibody assay, 357; immunoisolation, magnetic, 972; on kidney bean, hydrogen fluoride effect, 211; medium for isolation, 435; pathovar characterization, genetic, 965; on peach, protein affected by, water congestion, 1023; pectinolytic activity in, 981; plasmid DNA of, electroporation and electrical parameters, 965; population dynamics, 1057; protease detection in, using *B*-casein, 1023; in rice, resistance gene and lignification, 1023; serology, 964; on small grains, *translucens* genes, 985; spatial pattern analysis of epidemics, 181; strain relations, 829; streptomycin resistance, plasmid-mediated, 719; on tomato, medium for selection, 1000; new race, 1070; tomato and pepper strain, differentiation on agar, 438; on winter wheat, epidemiology, 966; xanthomonadin production, genomic region, 972
—*X. malvacearum*, AVR genes, gene-for-gene relation, 961
Xia, J. Q., 1048, 1061
Xie, Q. J., 999
Xie, W., 1019
Xiong, Z., 1018, 1036
Xuei, X.-L., 979

Xylaria arbuscula, on macadamia, quick decline, 1072
Xylella fastidiosa
—on elm, pathogenicity, 1066
—on grapevine: multiplication and translocation, 61; tissue response in resistant cultivars, 66

Yang, C. H., 1002
Yang, K. D., 958
Yang, X., 590, 983, 1031, 1115
Yang, X. B., 386, 497, 673, 989, 1013, 1421
Yao, C. L., 1047
Ye, X. S., 1023, 1024, 1055, 1295
Yen, A., 958
Yocum, J. A., 967
Yoder, O. C., 819, 979, 993, 1166
Yokomi, R. K., 895
Yokoyama, K., 1054
Yoshikawa, N., 543
You, M. P., 1049
Youmans, J., 438
Young, B. M., 1019
Young, C. S., 530, 536
Young, L. D., 1012
Young, R. A., 597
Young, R. J., 670, 673
Young, S., 992, 1050
Young, S. A., 982, 1038
Yudin, L. S., 1063
Yuen, G. Y., 206, 962, 1016
Yuen, J. E., 996, 997
Yum, K. J., 1012

Zabalgogeazcoa, I., 1034
Zablotowicz, R. M., 992
Zadoks, J. C., 598
Zagula, K. R., 1036, 1061
Zambino, P. L., 1460
Zamir, D., 980
Zamorano, E., 515
Zehr, E. I., 1142
Zeigler, R. S., 559
Zeigler, S., 517
Zeng, Y., 1054
Zentmyer, G. A., 675
Zettler, F. W., 436
Zeyen, R. J., 769, 892
Zhang, L., 1035
Zhang, W., 1030
Zhonk, H., 1019, 1051
Zidack, N. K., 1016
Zink, F. W., 1230
Zinnia, damping-off of, *Gliocladium* for biocontrol, factors, 672
Zipf, A., 439, 1061
Zitko, S. E., 1025
Zitter, T. A., 125, 316, 1035, 1238
Zook, M. N., 1009
Zucchini yellow mosaic virus, cDNA libraries, characterization, 987
Zummo, N., 439